



*'BUILT TOUGH, PROVEN TOUGH'*



**SMART TANK  
10,000L**

**SPEC SHEET**

Size	Safe Fill (L)	Weight (kg)	Length (mm)	Width (mm)	Height (mm)
10,000L	9,000L	2,910	4300	2400	1500

### Standard Features:

- Designed and manufactured in Australia to Australian Standards
- Self bunded (double wall)
- Manway for access to inner tank
- Fork Lift Pockets and Under tank visibility for visual inspection
- 2" Bulk fill point with Overfill protection valve and alarm.
- 4 Lift points for easy moving and transportation (whilst Empty only)
- Calibrated dipstick with safe fill level, located in a Lockable Spill Box
- Domed roof to stop water/dirt pooling
- Safety signage for Australian regulations
- Lockable Pump bay with container style doors and locks.

### Optional Pumps:

- 240v Pump
- Diesel or Petrol Driven Pumps
- Ebsray Pumps
- Regent Pumps


Have a pump you want? let the team know

### Optional Accessories:

- 10m, 20m or 30m Heavy Duty Retractable Hose Reel
- 1-10m Loose Hose
- Emergency Stop, Battery Isolator and Reflective Mine Tape
- High Mast Assembly
- LED Light Kits
- Fuel Management Systems
- Reconnectable Breakaway Coupling
- Ocio Tank Level Gauge
- Spill Kits & Fire Extinguishers
- 250T Drive Over Spill Grate
- Credit Card Reader (24/7 public sites)
- Auto Shutoff Nozzle
- Wiggins Nozzle







Detail A  
Scale 1:5

2" SUCTION PIPE  
WITH PRIME POINT

Section 4-300  
Scale 1/2" = 1'-0"

REV	DATE	DETAILS	BY/APPD
REVISION HISTORY			

**GENERAL NOTES**  
 ALL DIMENSIONS ARE IN MILLIMETERS (mm) U.N.O.  
 GENERAL TOLERANCE U.N.O.  
 X ±0.5  
 XX ±0.1  
 XXX ±0.05  
 Angular ±0.25°  
 REMOVE ALL SHARP EDGES AND BURRS  
 PAINTING MANUFACTURER IN ACCORDANCE  
 MATERIAL GR250  
 2 West St, Lake Cargelligo NSW 2672  
 Phone: 1300 629 802  
 Email: sales@durotank.com.au  
 Web: www.durotank.com.au



 THIRD ANGLE PROJECTION REF: AS 1100		TITLE <b>OVERVIEW</b>	
STANDARD FINISH REF: AS 1100 DRN: MWH DATE: 12.07.2023 CHK:	SHEET <b>A3</b>	DWG NO:	ST010 DO NOT SCALE U.N.O. PAGE 02 OF 02