





BI-ENERGY

 Diesel
14,7 kW





 Single-phase
Electric motor
230VAC - 2,2 kW



9,9 m	11,6 m	12,8 m	7,3 m
330 kg*	230 kg	120 kg	120/230 kg
L1	L2	W1	W2
4927 mm	6436 mm	4791 mm	3828 mm
W3			
2865 mm			

12,2 m	13,2 m	7,3 m
230 kg	120 kg	230/120 kg
L1	L2	W1
4927 mm	6436 mm	4791 mm
W2		
3828 mm		
W3		
2865 mm		

330 kg* 330 kg* 330 kg*



TSJ 27/C		27 m	13,2 m	330 kg*	660°	180x70 cm	90°+80°	2,86-4,79 m	44%	42%	1,2 km/h	4455 kg	29 kN	1,94 kN/m ²	4,16 kN/m ²
TSJ 27/R		27 m	13,2 m	330 kg*	660°	180x70 cm	90°+80°	2,86-4,79 m	44%	29%	1,7 km/h	4700 kg	29 kN	1,99 kN/m ²	4,04 kN/m ²

Available power options:

BI-ENERGY (DIESEL+AC)

ECO (AC+BATTERY)

HYBRID (DIESEL+AC+BATTERY)

Characteristics and technical data are informative only and subjected to change without notice.

Palazzani Industrie S.p.A.

Via del Pavione, 4 - 25050 - Paderno F.C. (BS) - Italy

Tel. (+39) 0306857073

info@palazzani.it

www.palazzani.it





ECO



Single-phase
Electric motor



Lithium iron
phosphate battery
LiFePO4







*optional

9,9 m	11,6 m	12,8 m	7,3 m	
330 kg*	230 kg	120 kg	120/230 kg	
L1	L2	W1	W2	W3
4927 mm	6436 mm	4791 mm	3828 mm	2865 mm

12,2 m	13,2 m	7,3 m
230 kg	120 kg	230/120 kg

L1	L2	W1	W2	W3
4927 mm	6436 mm	4791 mm	3828 mm	2865 mm



TSJ 27/C	27 m	13,2 m	330 kg*	660°	180x70 cm	90°+80°	2,86-4,79 m	44%	42%	1,2 km/h	4455 kg	29 kN	1,94 kN/m2	4,16 kN/m2
TSJ 27/R	27 m	13,2 m	330 kg*	660°	180x70 cm	90°+80°	2,86-4,79 m	44%	29%	1,2 km/h	4700 kg	29 kN	1,99 kN/m2	4,04 kN/m2

Available power options:

BI-ENERGY (DIESEL+AC)

ECO (AC+BATTERY)

HYBRID (DIESEL+AC+BATTERY)

Characteristics and technical data are informative only and subjected to change without notice.

Palazzani Industrie S.p.A.

Via del Pavione, 4 - 25050 - Paderno F.C. (BS) - Italy

Tel. (+39) 0306857073

info@palazzani.it

www.palazzani.it



Palazzani
INDUSTRIE



NC 824 A 22

HYBRID²





Diesel
14,7 kW



Single-phase
Electric motor
230VAC - 5,5 kW







Lithium iron
phosphate battery
LiFePO4
48V - 210Ah



*optional

9,9 m	11,6 m	12,8 m	7,3 m
330 kg*	230 kg	120 kg	120/230 kg
L1	L2	W1	W2
4927 mm	6436 mm	4791 mm	3828 mm
W3			
2865 mm			

12,2 m	13,2 m	7,3 m
230 kg	120 kg	230/120 kg
L1	L2	W1
4927 mm	6436 mm	4791 mm
W2		
3828 mm		
W3		
2865 mm		



TSJ 27/C



27 m

13,2 m

330 kg*

660°

180x70 cm

90°+80°

2,86-4,79 m

44%

42%

1,2 km/h

4950 kg

29 kN

2,1 kN/m²

4,49 kN/m²

Available power options:

BI-ENERGY (DIESEL+AC)

ECO (AC+BATTERY)

HYBRID² (DIESEL+AC+BATTERY)

Characteristics and technical data are informative only and subjected to change without notice.

Palazzani Industrie S.p.A.

Via del Pavione, 4 - 25050 - Paderno F.C. (BS) - Italy

Tel. (+39) 0306857073

info@palazzani.it

www.palazzani.it



NC 826 A 22