




OVERVIEW MODULES








CAVITY SIZES

		JOKER 6-23	JOKER 6-43	JOKER 6-11
>>	Internal dimension			
	W / D / H in mm	440 / 368 / 400	440 / 498 / 400	440 / 548 / 400
»	Volume	0,065 m ³	0,088 m³	0,096 m³
>>	Capacity	5 levels at 67 mm distance	4 levels at 80 mm distance	5 levels at 67 mm distance
	Bread rolls	45 pieces	48 pieces	60 pieces
	Croissants	30 pieces	36 pieces	40 pieces
	Potatoes	15 kilogram	16 kilogram	20 kilogram
	Roast	15 kilogram	14 kilogram	21 kilogram
	Whole chicken	6 pieces	8 pieces	12 pieces

The one who's got what it takes wins the game. And with a width of only 52 cm the new JOKER has got a lot to offer! No matter the configuration. Whether as 6-23, 6-11 or 6-43. In its own way and for your requirements, the new JOKER is always the greatest.












DIMENSIONS


		JOKER 6-23	JOKER 6-43	JOKER 6-11
>>	External dimension			
	W / D / H in mm Control left Control on top Control right	650 / 625 / 560 520 / 625 / 705 650 / 625 / 560	650 / 755 / 560 520 / 755 / 705 650 / 755 / 560	650 / 805 / 560 520 / 805 / 705 650 / 805 / 560

CONTROL MODULE - POSITION



Hey, pick your slice. Choose the best corner for the position of your control module. On top, left or right - everything is possible.





MULTIFUNCTIONAL, WITH SYSTEM!

REDUCED AND FOCUSSED!

MT CONTROL

ROL

» Description

Nobody likes long explanations. Introducing working with ease, systematically. New features help you to not only bake and cook, but to work with programs and to plan your workflow. With the new MT-Technology you have your new JOKER and the work routine fully under control. The right fit!

ST CONTROL

Focusing on manual cooking and baking. You make clear announcements and are a passionate craftsman, that's what the operating concept of the ST control is all about: getting it done!

» Features (extract)

- Support with start-up settings
- Weekly programming PRO
- Multi Cooking / Multi Baking PRO
- Multifunctionality (new functions)
- Even more possibilities to individualize the operating concept standardizing your operating sequences and workflows
- Manual cooking / baking (depending on the choice of water module)
- Programme list
- Special programmes


» Note

Depending on your choice of the position of the control module, the alignment is adjusted (horizontal / vertical).

Depending on your choice of the position of the control module, the alignment is adjusted (horizontal / vertical).

You prefer the classic way, reduced to the essentials with the ST control, or the MT control based on a multifunctional approach with focus on process safety?

It has to be right for you. If you cannot decide on the operating concept when buying the unit, start with the ST control and retrofit the MT control when needed.



WATER MODULE

INJECTION FRESH STEAM SYSTEM » Description Good baking results depend on The objective: saving time, energy the right approach! and water. The solution: the Eloma With the new JOKER you can own fresh steam system. It genedefine the steam injection exactly rates steam directly in the cavity. to the milliliter. A manual steam Right when and just as much injection during operation is still as needed. Ready to go within possible at any time. For perfect seconds whenever you want. The shine and best evenness. immediate change of operating modes is possible any time. Just as flexible as you are! Pastry in, steam off! No wasting Let the salmon smile. Cooked to » Application example of time allowed, so that bread and the point, glassy appearance, juicy rolls rise nicely when baking and taste. Also delicate dishes succeed perfectly in the fresh steam are deliciously crunchy. system.

The new JOKER can do it all. But does not have to. If needed, he gets along completely without water connection. If you run a bakery or a petrol station, the injection module should be your choice. Saves money and is a real powerhouse. More flexiblity in the operation needed? Choose the JOKER as a combi steamer. The fresh steam system guarantees tender trouts and crispy roasts. The right fit, isn't it?



CLEANING MODULE

		autoclean [®]	HAND SHOWER
»	Description	Our fully automatic cleaning system autoclean* stands out with minimum consumption of water and cleaning agents. No waiting time, no manual steps necessary. Cleaning: go!	Easy and effective: with the practical hand shower, you can quickly rinse out the cavity.
»	Application	After a long and exhausting day in the kitchen, it's all about hygiene. Perfect, just press a button and the JOKER cleans itself. Check.	Crumbs are all that's left in the cavity after a busy day in your shop, providing fresh baked goods from morning to evening. Hand shower at hand, rinse, wipe - and you are set for the next busy day.

Cleaning does not have to be complicated. For purists who prefer to do things themselves the practical hand shower will provide the right support. And for those who want it more comfortable autoclean® is the right choice. Automatic cleaning or cleaning yourself - it`s your decision.





DESIGN MODULE

		DESCRIPTION
»	Back cover	The JOKER can turn its back. Choose the back cover, use it as a promotional space, either by including your own logo, provide the right message to your customers or install a screen with your menu - the choice is yours!
»	Storage	Shortage of space - make the most of it by using also the top of the unit. With the storage module, nothing will slide or fall down. Obviously, this only works with the control module on the side.
»	Colour	You want to show your colours? The JOKER can too, according to your taste - it does not need to clash. Either the whole unit can get a paintwork or just the glass panel of the control module. Make it yours. (Minimum order quantity: 10 pieces)

As the saying goes: You eat with your eyes first. This is not only true for the dish itself, but also for the kitchen and the bar. Make your JOKER an eye-catcher. A nice railing for the storage or a back cover with your logo. The JOKER will be the right fit.

... AT THE END, YOU WILL SAY: THE RIGHT FIT!

You won't be persuaded to buy a JOKER. The JOKER will convince. Because you get what you really need. And he will fulfill every wish. That's exactly your scene. No more and no less.

DESIGN

If there is such a thing as the art of omission, we have perfected it with the JOKER. Form follows function. Clear edge. Confident style. And enough room for your individual touch.

MODULARITY

Whether it's a basic version or a complex all-rounder - you can configure the JOKER to make it your right fit. Control module, fresh steam system, cleaning system - the choice is yours.

CAPACITY

The new JOKER is pure efficiency in its footprint / cavity volume ratio. Maximum use of space with minimum external dimensions. With a cavity of 44 cm width and 40 cm height, the JOKER offers you plenty of space for baking and cooking - and is also absolutely stylish.

+----- 52 cm ------





FLEXIBILITY

Maximum performance with minimum effort, as well as ease of use. You know exactly the best position to control your JOKER. So just configure it like that.

OVERVIEW OF MODELS 21

THE MODELS. ONE IS YOURS.

Highest efficiency in the smallest space - that's how it works with the new JOKER. And he keeps his promises. Every time. The cavity is the same width and height on all three JOKER models. Based on this, you can configure your JOKER individually. That's what we call a product family!



JOKER 6-23

Control on the side W / D / H in mm *)	650 / 625 / 560
Control on top W / D / H in mm *)	520 / 625 / 705
Connected load	3,6 kW
Protection	1 x 16 Amp
Voltage	230 V 1N AC
Connected load	5,9 kW
Protection	3 x 16 Amp
Voltage	400 V 3N AC

^{*)} Depth of unit incl. door



JOKER 6-43

Control on the side W / D / H in mm *)	650 / 755 / 560
Control on top W / D / H in mm *)	520 / 755 / 705
Connected load Protection Voltage	3,6 kW 1 x 16 Amp 230 V 1N AC
Connected load Protection Voltage	7,8 kW 3 x 16 Amp 400 V 3N AC




JOKER 6-11

Control on the side W / D / H in mm *)	650 / 805 / 560
Control on top W / D / H in mm *)	520 / 805 / 705
Connected load Protection Voltage	7,8 kW 3 x 16 Amp 400 V 3N AC







SUPPORT STANDS

We continue the modular approach. Configure the support stand of your new JOKER according to your needs: with or without levels, with or without bottom shelf (retrofit possible).

MULTI-ECO CONDENSATION HOOD

Condensation hood on - easy breeze! The moisture and vapors produced during cooking are condensed in the hood. This pleases the kitchen team as well as the guest. And by the way you conserve the environment. Looks good, right?

COMBIMIX-KITS

A clever move! The new compact class can easily be stacked to a power center. No protruding parts. Everything fits. The maximum recommended insertion height is maintained. For a comfortable working environment.

The right fit. At Eloma we say: better is the enemy of good. That is why for the new JOKER we took every action to combine functionality and aesthetics. How does that work? With much attention to detail. Only if every little thing fits, the total package is right. And every additional component complements the whole thing in its own individual way. Are you familiar with that? Of course, it's your business concept.



GREAT MENU OFFERING. GREAT SERVICE.

It is one of Eloma's main objectives to never let our customers down. In case one of our units does not run smoothly, we will give our utmost to remedy the situation as quickly as we can. For this, we have built a world wide network of service partners, who will be fast and competent in their response.

In addition, our customers receive all the support they need to get the best out of their Eloma products. From the application hotline to technical training to the cookbook with recipes. Find what you are looking for – easy at www.eloma.com/service.



PART FINDER


With Eloma, you don't search for spare-parts, you find them. They are right here in the part finder. Every item is registered, just choose and order it.

INFO 24

The entire Eloma product knowledge for you to download: More than 25.000 documents in different languages.

ELOMA FORUM

We like to pass on our knowledge. Our seminars are perfectly matched to end-users, dealers or service partners.



We the Eloma Team, are happy to help you with questions about our products.

CUSTOMER SERVICE

T. +49 8141 395-188 F. +49 8141 395-130

sales@eloma.com

APPLICATION ASSISTANCE

T. +49 8141 395 -150

application@eloma.com

TECHNICAL SERVICE

T. +49 35023 63-888 F. +49 8141 395-156

service@eloma.com

FOR DETAILS OF ALL OUR ONLINE TOOLS VISIT **ELOMA.COM**

THE RIGHT FIT. THE NEW JOKER.



Eloma GmbH • Otto-Hahn-Str. 10 • 82216 Maisach/Germany T. +49 8141 395-0 • F. +49 8141 395-130 • sales@eloma.com eloma.com

an Ali Group Company



The Spirit of Excellence