

kingon



Kingon P2-E6

Portable Oxygen Concentrator

Portable pulse-dose supplemental oxygen therapy that moves with you, without compromising performance.



Ultra-Lightweight Design

Weighs just 1.98 kg for easy, everyday portability.



Smart Oxygen Delivery

Pulse-dose technology delivers oxygen only when you need it.



Whisper-Quiet Operation

Low noise output for comfortable day and night use.



Long-Lasting Battery

Up to 5h 24min of operation on a single charge.




Travel Ready Power System

FAA approved with global power compatibility.

Designed for Lightweight, Reliable Supplemental Oxygen Therapy On The Go

The Kingon P2-E6 combines ultra-lightweight portability with powerful, dependable supplemental oxygen therapy.

Designed to move with you, it delivers efficient oxygen support in a compact form that fits seamlessly into your everyday life.



Smart Oxygen Delivery & Performance

The P2-E6 uses advanced pulse-dose technology to deliver oxygen precisely when you inhale, improving efficiency and reducing waste. With six adjustable flow settings, it provides reliable, consistent support tailored to your needs.



Delivery System

- Pulse dose flow settings: 1 - 6
- Intelligent inhalation detection
- Smart auto-pulse mode

Performance Output

- Oxygen concentration: 90% -3%/+6%
- Stable output across pulse settings
- Low noise operation suitable for daily use

Pulse Flow vs Continuous Flow



Long-Lasting Battery Performance

Enjoy extended use with up to 5h 24min of operation on a single battery at lower settings. Dual batteries and quick-swap capability keep you powered throughout the day, whether at home or on the move.

Pulse Setting	Battery Duration
Flow Setting 1	5h 24min
Flow Setting 2	4h 30min
Flow Setting 3	3h 18min
Flow Setting 4	2h 30min
Flow Setting 5	2h 06min
Flow Setting 6	1h 42min



Integrated Safety Monitoring

Built-in alarms provide operational reassurance, alerting you to low oxygen concentration, low battery, no breath detected, or system faults.



Travel-Ready Power System

FAA approved for air travel, the Kingon P2-E6 includes an AC adaptor, DC car charger, and a rechargeable lithium battery.

Built for Everyday Mobility

Weighing approximately 1.98 kg, the Kingon P2-E6 is designed to support active use at home, in the community, and while travelling.

Its compact footprint and included carry bag allow for convenient daily transport while providing reliable supplemental oxygen therapy wherever you go.



Compact & Lightweight Design

Engineered for portability, the Kingon P2-E6 supports mobile supplemental oxygen therapy in a compact, travel-friendly format.


- Weight: Approx. 1.98 kg
- Dimensions: 22 cm (H) × 16 cm (W) × 8.5 cm (D)
- Ergonomic carry design with included carry bag

Its lightweight construction supports comfortable extended use across home, community and travel environments.



Clear, Simple Operation

The clear LCD display and straightforward controls make the unit easy to use, even for first-time oxygen concentrator users.




Low Noise Operation

Kingon P2-E6 operates at just 37 dB(A), keeping use discreet in shared or public spaces



5 Years Total Warranty

Your Kingon Portable Oxygen Concentrator includes a 3-year warranty, plus a 2-year warranty upgrade when registered on kingon.com.au



Technical Specifications

Weight	1.98kg (includes battery)	Power	AC power supply 100-240V, 50-60Hz (Auto sensing to allow worldwide use)
Size	Length: 221mm Width: 85mm Height: 160mm (includes battery)	Voltage	14.4VDC, rated capacity: 6.8Ah
ARTG	Included in the ARTG	Sound Level	37 dB(A) (on setting 2) (Prüfmethode 14-1 10/2018 MDS-Hi)
Flow Setting & Pulse Volume		Warranty & Quality Standards	
Oxygen Flow	Pulse dose delivery system	Quality Standards	FDA, CE, FAA Approved
Oxygen Flow Max	Pulse - 1,200ml/min - equivalent (approx) to 6 Litres Per Minute (LPM)	In Flight Use	Approved
Oxygen Concentration	90% -3%/+6% at all settings	Warranty	(3-year standard + 2-year free extension when you register your device) 1 year for battery & sieve bed
Warm-Up Time	2 minutes	Operation	Operation Simple control functions and easy-to-read LCD display
Display Screen	2.8 inch		
Battery & Power			
Battery	Five flow settings: 1, 2, 3, 4, 5, 6 Duration: up to 5h 24min Recharge: approximately 4 hours with AC/DC power supply		

Package Includes:

	1 x Kingon P2-E6		1 x DC Charger (charge in the car)
	2 x Batteries		1 x Carry Bag
	1 x AC Charger		1 x Nasal Cannulas
			5 x Air Filters

kingon