

# AD226 Diagnostic Audiometer

The portable true  
hybrid audiometer



# Stationary or portable – you decide!



---

**The AD226 is a powerful and fully portable hybrid audiometer.**

---

## **A portable true hybrid audiometer**

With the AD226 you can easily perform routine air and bone conduction threshold audiometry, but it also comes with multiple advanced features for other applications.

With a weight of only 1.3kg/2.9lbs. and compact footprint of only 30x23x9cm, 12x9x4 inches. It has excellent portability and is also ideal for limited office space.

---

## **Familiarity + functional design**

The ergonomic design of the AD226 is exceptional with a high-resolution 4.3 inch color display that presents crystal clear images for easy to read audiograms. The familiar keypad design enables you to acclimate quickly without losing efficiency or speed.



---

## **A versatile True Hybrid audiometer**

The AD226 is a fully self-contained standalone audiometer that can run independently from a computer. It is also a fully PC-integrated audiometer (with the optional Diagnostic Suite software) offering all the benefits of a PC-based audiometer with full Noah, OtoAccess™ and EMR/HIS integration.

The AD226 is small for portability, yet presents a highly professional image. The power of the internal processor provides PC-like functionality without the PC. Upload multiple patient data onto the AD226 before taking it on the road, then store test results to each specific client and download the information to the database program of your choice (NOAH, OtoAccess™) when you get back to the office.




### Two versions: Basic and Extended with special test capabilities

The AD226 basic version (License B) includes air and bone conduction, masking, Stenger, Hughson Westlake (auto testing) and the ABLB test. In addition to this the AD226 extended version (License E) includes the Békésy, SISI, and Langenbeck (Tone in noise).

### A preview of the benefits

- Robust, fast and easy to use
- Built-in graphical display
- Storage for 500 patients
- Only 1.3kg / 2.9lbs.
- Direct print to PC-printers
- Option to run on batteries
- Optional PC integration (hybrid mode) with OtoAccess™, Noah storage and EMR interface capabilities



AD226 tone audiogram

- Air and bone conduction audiometry with pure tone, warble and pulsed tones, WN and NB masking
- Built-in talk forward microphone





---

## Interacoustics

Interacoustics is a world leading provider of diagnostic solutions in the field of hearing and balance assessment. Since 1967 we have designed and manufactured our innovative diagnostic solutions for the world of audiology with a constant focus on providing our customers with quality, dependable products.

---

## With you at all times

We operate in over 100 countries worldwide through a carefully selected network of distributors and service centres. Purchasing an Interacoustics product guarantees not only a quality product, but also direct access to our highly professional training and support service.

---

## Product specifications

All technical and hardware specifications concerning the AD226 can be downloaded from our website.

**Read more at**  
**[interacoustics.com](http://interacoustics.com)**

---

## Interacoustics A/S

Audiometer Allé 1  
5500 Middelfart  
Denmark

T +45 6371 3555  
F +45 6371 3522

[info@interacoustics.com](mailto:info@interacoustics.com)  
[interacoustics.com](http://interacoustics.com)

Go online to  
explore our  
full product  
range



# Interacoustics