

M1

Electric cart mover





- For loads up to 1.000 kg.
- Super-compact, thanks to the foldable tiller.
- Interchangeable battery packs.
- Optional slow / fast button.
- Wide range of accessories and connections.















TABLE:

Z177.720

M1

Unit: mm [inch]



Main sectors



METALLURGICAL INDUSTRY



TEXTILE INDUSTRY




SUPERMARKETS & LARGE DISTRIBUTION

Performances on slopes

While the force expressed in N at the hook remains unchanged, the following circumstances **may affect the** towing capacity expressed in kg:

- type of ground on which the towing is performed;
- towing on flat ground or on a slope;
- use (or not) of ballasts;
- type of wheels mounted on the vehicle and on the trailer.





Slow / fast switch (optional)

On the new M1 tillerhead by Zallys it is possibile to equip a button for the adjustment of the speed of the machine. By clicking it, you can switch between full and reduced speed. This allows a fast and easy selection of the correct speed based on the kind of maneuvre. The Flex-to-Go system has been studied to give a better maneuverability in confined spaces and more speed on the longer journeys.

Speed levels:



= 50% of maximum speed



= Maximum speed





Ergonomic driving

Zallys' tillerhead has been conceived and produced to make the use of the machine more ergonomic for the operator, guaranteeing the right **comfort while driving during the work shift**. **Its ergonomic design** allows to have **all the driving controls at your fingertips**, the display with the battery charge level and the power key for an easy and fast ignition. **The structure** is made of **resistant materials** in case of accidental bumps.







Foldable tiller

M1's tiller is adjustable in height and foldable, to take less space when not in use, but not only this: by reducing its size it becomes easier to transportit and load it on elevators, trucks or even small vans for off-site works.

Interchangeable battery packs 24/7

Battery packs are lightweight and easily **interchangeable** in order to cover several work shifts: when one is discharged you can put it in charge and immediately replace it with a fully charged one. This way, the machine is always operating! Moreover, **different amperages** are available according to your needs: 22Ah, 33Ah AGM or 40Ah Lithium.





Modular ballast system

Zallys modular system guarantees maximum flexibility on increasing the vehicle's performances. With just 4 kg unit weight, single ballasts are lightweight and can be equipped without physical effort by the operator, while maintaining all their effectiveness.

STANDARD HITCH




















ACCESSORIES








Examples of applications

on various production sectors



METALLURGICAL INDUSTRY







TEXTILE INDUSTRY







SUPERMARKETS & LARGE DISTRIBUTION







 $\bullet \circ \bullet$ the passion for moving

Zallys srl srl - Via Palazzina 1, Sarcedo 36030 (VI) - Italia

Contacts:

sales@zallys.com +39 0445 366785

Web site:

www.zallys.com



