
VITACON.



Products & Technical Specification

A Safe, Easy and Non-invasive system for Bladder Scanning

Real-time bladder scanning is a safe, easy and non-invasive method for measuring bladder volume. Bladder scanning measures ultrasonic reflections within a patient's body and differentiates the urinary bladder from the surrounding tissues.

Bladder image in real-time ultrasound makes it easier to detect the bladder before scanning. **VitaScan** calculates the patient's bladder volume in 3D and displays volume and bladder image on screen.

Medical indications

Prevent catheter associated Urinary Tract Infections (UTI)

Diagnose Post-operative Urinary Retention (POUR)

Diagnose Post Void Residual (PVR)

Diagnose Bladder Outlet Obstruction (BOO)

Identifying blocked Foley catheter

Bladder function after removing an indwelling urinary catheter

Identify bladder distention

Identify causes of urinary frequency and bladder irritability

Accurate assessment of a patient's hydration status

Useful tool in bladder retraining (Biofeedback)



VitaScan v.2 Probe

The **VitaScan** is accurate, fast and easy to use. No sonographical experience is needed. Single-button control to start/stop the bladder scanning. Fully-automated scanning in multiple planes from one position within seconds.

FEATURES

- Connect the VitaScan probe to any Windows tablet/computer via the
 USB connector and download the VitaScan application software for free.
- VitaScan application software may be installed on multiple devices for easy access.

VitaScan PD / PD+ Bladder Scanner

VitaScan PD / PD+ is a mobile and fully self-contained real-time bladder scanner. Reports can be printed via its internal printer or stored on USB-stick in JPEG format. Durability, ease-of-use and fast boot-up time make it suitable also for remote use. VitaScan PD / PD+ is GDPR compliant.

VitaScan LT Bladder Scanner

VitaScan LT is a real-time bladder scanner with Windows OS medical grade tablet. The VitaScan LT offers integration protocol to any hospital EMR systems. Can be configured with hospital domain login credentials. Full page reports in PDF, JPEG or DICOM may be printed directly via network (Wi-Fi or Bluetooth) printer or saved and archived under patient folders.







7 / 10.1 inch touchscreen

The scanner runs on mains power supply and/or internal battery with 5 hours battery capacity. The scanner features an internal thermal printer for immediate documentation.





Fully automated calculation

No sonographical experience is needed. Single button control to start/stop the bladder scanning. Fully automated scanning in multiple planes from one position.



Portable design

Real-time portable ultrasound bladder scanner for easy use. Intuitive design for carrying with a soft case to protect during transportation.



Sharp and clear images

Advanced image processing for sharp and clear images. Full page reports in PDF, JPEG or DICOM formats. Automatic PVR calculation possible (pre-void/post void scan options).



Simple and Intuitive

The VitaScan features automatic volume measurements and bladder volume calculation with large digit display.



Easy integration

VitaScan LT offers integration protocol to any hospital EMR systems. View and save exam results easily on your own local computer storage.

Volume range

Accuracy

Probe Frequency Scanning method

Rotation positions

Sweep angle

0 - 1000 ml

± 7.5 % on volumes greater than 100 ml1 *

± 7.5 ml on volumes less than 100 ml1 *

3.4 MHz

Sector, 180 degrees

Up to 24 rotating positions

130 degrees

Volume range

Accuracy

Probe Frequency

Scanning method

Rotation positions Sweep angle

0 - 1000 ml

± 7.5 % on volumes greater than 100 ml1 *

± 7.5 ml on volumes less than 100 ml1 *

3.4 MHz

Sector, 180 degrees

Up to 24 rotating positions

130 degrees

^{*} Accuracy specifications in accordance with stated instructions, scanning on Vitacon phantom

ote: Specifications are subject to change without no



Order info

Please refer to Item Codes below to obtain further product information or quotation. **Vitacon** warranty period is twenty-four (24) months from date of purchase. Vitacon ensures that the **VitaScan** products conform to published specifications and to accompanying documentation.

Product	Item Code
VitaScan v.2 Ultrasound Probe	100535 C
with Carrying Case	100505 141
VitaScan LT Bladder Scanner	100535 ML
with VitaScan Mobile Cart	
VitaScan PD Bladder Scanner	100570 CP
with Carrying Case	
VitaScan PD Bladder Scanner	100570 MP
with VitaScan Mobile Cart	
VitaScan PD+ Bladder Scanner	100580 CP
with Carrying Case	
VitaScan PD+ Bladder Scanner	100580 MP
with VitaScan Mobile Cart	
Extra	
VitaScan Calibration Test Tool	100651
VitaScan Verification Test Tool	100752
5-year warranty extension	100700
(VitaScan Probe)	

Contact

Vitacon AS Vegamot 8B 7049 Trondheim Norway

sales@vitacon.com