Paxum® X5

Paxum Pallet Wrapping Machine X5 - Standard Model - E Type Turntable

#62119

| Intelligent Operation | Auto Film Cutting | 300% Pre-Stretch Rate | Programmable Control |

X Paxum Films®

G Gateway Packaging Pty Ltd

Introducing our cutting-edge Paxum Pallet Wrapping Machine - X5 Model Standard with E Type Turntable, the ultimate solution for efficient and reliable pallet wrapping. With its innovative features and robust design, this machine sets a new standard in packaging technology.

Features

- Customizable wrapping type and times
- Photoelectric sensor for pallet height
- Auto reset turntable
- 300% pre-stretch ratio
- Programmable control, frequency converter
- PLC control, optional manual mode
- Adjustable wrap cycle (top, bottom, reinforcement
- Variable lift speed, film tension control
- Soft start, soft stop function
- Suitable for light pallets
- Automatic film cutting
- E-type turntable for easy loading

Advanced Safety Technology

E Type Turntable

300% Standard Pre-Stretch

Cutting Film Process

Automatic Film Cutting

Specifications

Load Weight	Unlimited
Wrapping speed	3-10 RPM
Packing height	Maximum 2000mm (1800mm/2400mm optional)
Pre-stretch rate	200% (1m to 3m) or 250% (1m to 3.5m)
Up & down speed	1.5-5.5m/min
Packing speed	25-30 loads/h (1*1.2*1.8m pallet/two layers)
Wrapping force	Adjustable
Film width	500mm (750mm optional)
Film diameter	250mm
Film paper core	76mm (50mm optional)
Film weight	Maximum 15kg
Machine power	0.6KW
Soft start & stop	Included
Fix film on pallet	Manual
Intelligent alarm	Included
Auto cut film	Optional
Speed adjustable	Included
Measure height	Automatic
Product memory	Five modes
Sensor	SICK
PLC	SIEMENS
Inverter	SIEMENS
Touch screen	SIEMENS
Voltage	220V-240V 50/60Hz single-phase