



Organic Peroxide Storage Cabinets

Pratt Indoor Organic Peroxide Storage Cabinets comply with the Australian Standard AS 2714 "The Storage and Handling of Organic Peroxides".

This range of cabinets is for the storage of organic peroxides in liquid or solid form as classified by the United Nations criteria and the ADG Code for Dangerous Goods.

These include chemicals such as Acetyl Acetone Peroxide, Methyl Ethyl Ketone Peroxides and Dibenzoyl Peroxide.

Special Features:

- ▲ Cabinets are fitted with a non latching door/s.
- ▲ Includes recessed handle without key lock facility.
- ▲ Includes magnetic catch that will release in the event of a build-up of pressure within the cabinet (as required by this Standard).



Model	Capacity	Doors	Shelves	Extra Shelf	External (mm)			Internal (mm)		
					Height	Width	Depth	Height	Width	Depth
5516APO	30kg or L*	1	1	5517-29	770	515	465	525	420	370
5517APO	60kg or L*	1	2	5517-29	1065	515	465	820	420	370
5535APO	100kg or L*	2	1	5535-29	770	935	620	495	840	530
5530APO	100kg or L*	2	2	5545-29	1295	1115	500	1015	1020	415
5545APO	100kg or L*	2	3	5545-29	1825	1115	500	1545	1020	415

* AS 2714 specifies a maximum of 50kg or L for Type B Organic Peroxides.

Note: 1. For all two door cabinets, the internal height taken from top of sump sill to the sequential chassis assembly.

2. For all single door cabinets, the internal height is taken from the top of the sump sill to the ceiling.

3. For total external width measurement, add 6mm per vent bung for tight clearance locations.