

ecom

MOBILE SAFETY



Bluetooth Scanner **Ident-Ex® 01**

MOBILE DATA CAPTURING

IN HAZARDOUS AREAS

Ident-Ex 01



BENEFITS



- Ultra-rugged
- Outstanding head modules performances
- Easy to use, with one hand
- Flexibility – online / offline scanning & changeable head modules
- Lower risk interface to ecom products
- Lower cost – prevents legacy tag replacement
- Ideal for intensive scanning and 12 hour shifts
- Lower damage / fouling risk = lower downtime risk
- Improved global safety & lower inventory cost

MODULAR HEAD DESIGN

Using an unique modular design, Ident-Ex® 01 can be specifically configured to the customer's requirements by selecting different head modules. When requirements change, the head module on the unit can be replaced by one of the ecom-approved Service Centres.



CERTIFICATION

ATEX 	II 2G Ex ib IIC T4 Gb IP64 II 2D Ex ib IIIC T135°C Db IP 6X
IECEX 	Ex ib IIC T4 Gb IP64 Ex ib IIIC T135°C Db IP 6X
NEC & CEC	Class I Div 1 Groups A,B,C,D T4 Class II Div 1 Groups E,F,G Class III Class I Zone 1 AEx ia IIC T4 Gb IP64 Class I Zone 1 Ex ia IIC T4 Gb IP6X Class II Zone 21 AEx ia IIIC T135°C Db IP64

BLUETOOTH SCANNER, READER & IMAGER



EN-EX25
2D Multi-Range
Barcode Imager



NE-UNI900
868 MHz UHF RFID

NU-UNI900
915 MHz UHF RFID



DELIVERY SCOPE

- Ident-Ex® 01
- Head module
- Charging cable
- Travel charger
- Instruction manual
- Safety instructions

ACCESSORIES

- Leather holster
- Hand strap
- Retractable lanyard
- Docking station
- Software application
- Leather case for retractable lanyard


Bluetooth Scanner Ident-Ex® 01

ATEX/IECEX ZONE 1/21, NEC/CEC CLASS 1 DIV 1

TECHNICAL SPECIFICATIONS

Dimensions	With Ex-25: 235 x 84 x 58mm Remaining head modules: 221 x 84 x 58mm
Weight	425-560g (depends on head module)
Battery	Li-Ion rechargeable; 12+ hours; 10.000+ scans with one battery charge
Internal Storage	2 MBytes 2D QR barcodes = 600+ RFID ¹ tags (ID only) = 5000+
Bluetooth	Class II, up to approx. 10 meters
Scan Performance	RFID ¹ = up to 1.5m Barcode = 15cm to 15m

¹ Tag & environment dependent



Connectivity via
Bluetooth

EMEA

Germany (Headquarters) ¹

ecom instruments GmbH
Industriestraße 2
97959 Assamstadt
Phone +49 62 94 42 24-0
Fax +49 62 94 42 24-100
sales@ecom-ex.com
¹ also covering Austria

ecom Benelux ²

ecom instruments BV
Watertoren 45c
3247 CL Dirksland, Netherlands
Phone +31 1 87 60 59 16
Fax +31 1 87 60 33 47
info.nl@ecom-ex.com
² also covering Belgium and Luxembourg

France ³

ecom Nied sarl
4 Rue Ettore Bugatti
67201 Eckbolsheim
Phone +33 3 88 76 46 84
Fax +33 3 88 76 02 85
info.fr@ecom-ex.com
³ also covering Algeria, Egypt, Morocco,
Tunisia and Libya

Italy

ecom instruments srl
Via Gandhi, 15 Galleria
20017 Rho (MI)
Phone +39 02 93 90 92 16
Fax +39 02 93 90 62 97
info.it@ecom-ex.com

Switzerland

ecom instruments GmbH
Merkurstraße 2
6210 Sursee
Phone +41 4 19 21 60 00
Fax +41 4 19 22 00 08
info.ch@ecom-ex.com

Nordics

ecom instruments GmbH
Postbox 304
2970 Hørsholm
Denmark
Phone +45 28 252 575
info.nordics@ecom-ex.com

United Kingdom

ecom instruments ltd
A310, The Wilton Centre,
Redcar, TS10 4RF,
United Kingdom
Phone +44 1642 46 54 00
Fax +44 1642 46 54 02
info.uk@ecom-ex.com

Middle East

ecom instruments fze
P.O. Box 8918
Saif-Zone, Sharjah, UAE
Phone +971 6 5 57 34 30
Fax +971 6 5 57 34 31
info.uae@ecom-ex.com

Americas

USA

ecom instruments Inc.
1779 Westborough Drive, Suite 102
Katy, Texas 77449
Phone +1 281 496 59 30
Fax +1 281 496 23 21
info.us@ecom-ex.com

Asia

South East Asia

ecom instruments (SEA) Pte Ltd.
12 Arumugam Road
#05-11 Lion Building B
Singapore 409958
Phone +65 61 00 33 29
Fax +65 63 99 33 29
info.sg@ecom-ex.com

