## Paxum® X100







The Paxum X100 is a cutting-edge machine with a range of features designed to optimise the efficiency of the pallet wrapping process.

## **Features**

- High efficiency and low energy consumption
- Remote Controlled System
- Automatic Photoelectric sensor detects pallet height
- Automatic film cut and clamp function
- Multi-layer function: This function can set different wrapping cycles and wrapping tension at any height, up to 9 layers per pallet.
- 400% pre-stretch film rate
- Advanced Safety Technology Safety device under film carriage to protect the foot or head of the operator
  - Transparent panel makes it easy to find problem without opening door.
  - Up and down belt deviation and damaged alarm system
- High quality electrical components
- LCD Touch Operating System
- Automatic Rope Grip System
- Soft start and soft stop
- Intelligent Alarm system with LED Indicator
- 1650mm turntable
- 2350mm wrapping height
- Max load weight: 2000KG
- 3 Year Warranty
























## **Specifications**

Production Rate 20-25 loads/hour
Turntable Speed 3-12RPM(Adjustable)

Turntable Diameter1650mmMax. Load Weight2000kgsStd. Wrapping Height2350mm

**Pre-stretch Rate** 400% pre-stretch maximum

**Up & Down Speed** 1.5 ~5.5 m/mins

Voltage 240V Machine weight 680kg

Machine size L2710mm\*W1650mm\*H2720mm

**Film Spec.** 500mm wide, 250mm diameter, 76mm core diameter

PLC Siemens
Compressed Air No

**Technical Data** Operation Manual

Warranty 3 Years

