



## CHALLENGES AND SOLUTIONS

**FOR SUSTAINABLE CITIES** 

PULSEO GENERATION

> All over the world, countries are facing the same challenges:

Combating global warming and air pollution.

Aware of these challenges, many cities have adopted measures limiting, or even banning, the use of emission-intensive equipment.

To support all players in this process, Haulotte is committed to more sustainable development and supports its customers and partners in their ESG strategy.



#### WITH THE PULSEO RANGE, HAULOTTE OFFERS

environmental-friendly,

100% electric, emission-free equipment offering unrivaled performance.

98%

Recyclability rate of the HA16 E



# FOR THE ENVIRONMENT

#### **EVOLVE WITHOUT CONSTRAINT**

Thanks to its 100% electric design, the HA16 E aerial work platform offers a sustainable alternative, suitable for all situations including night operation:

- Low-emission zones (LEZ).
- Green-labeled worksites.
- Zones where access to combustion engines is prohibited.

#### **WORK IN SILENCE**

The **PULSEO** generation offers an incredibly silent experience for operators and bystanders. Its discretion opens the door to new applications:

- Quiet areas: hospitals, offices, schools, etc.
- Public places: shopping malls, pedestrian streets, airports.

The **HA16 E and HA16 E PR0** feature Haulotte's highest quality standards. Subjected to rigorous endurance tests and accelerated life cycles tests to guarantee their lifespan. All **PULSEO** Generation models benefit from a **5-year warranty**.

YEAR'

<sup>\*</sup>See conditions in the Haulotte distribution network.

## A PLAYGROUND WITHOUT LIMITS



The PULSEO HA16 E articulating boom is a 2-in-1 machine: its versatility makes it indispensable throughout the life of the worksite, from start-up to completion.



No compromise on rough terrain performance: the HA16 E boasts the same excellent rough terrain capabilities as a combustion-powered machine.

Its oscillating axle\* combined with 4-wheel-drive ensure optimum grip.



Equipped with non-marking tires\*\*, the HA16 E works perfectly indoors without leaving marks, even on sensitive floors.

Its tailswing makes it extremely maneuverable, enabling it to operate in confined spaces.

#### **1 SINGLE MACHINE FOR ALL APPLICATIONS:**

Its electrical architecture combined with its rough terrain performance make it perfectly suited to both indoor and outdoor applications, while ensuring clean and quiet operation.



<sup>\*</sup>PRO model only.

<sup>\*\*</sup>Available as an option.





No compromise on rough terrain performances. The HA16 E boasts excellent rough terrain capabilities, identical to those of a dieselpowered boom.

Its electric architecture combined with a mechanical axle drive train makes it ideal for all types of terrain.

The impressive drive power provided by its cutting edge equipment enables the HA16 E to climb slopes up to 40% and work on tilted grades up to 5°.



slope up to 40%



5° tilt

#### **ROUGH TERRAIN EQUIPMENT:**



- > 1 oscillating\* axle to keep the wheels in contact with the ground and provide optimum gripe.
- > 4 independent wheel-drive each delivering powerful torque and excellent traction distribution.



- > 4 wheel-steer\* to considerably reduce the turning radius and enable crab mode travel.
- > **High ground clearance** to overcome obstacles and protect machine components.



### NEED TO RECHARGE YOUR MACHINE?

Whatever the worksite constraints, several charging solutions are available with our machines: mains plug (accelerated charger available) or charging with a Ranger Extender.

## YOUR WORKSITE IS NOT CONNECTED TO THE ELECTRICAL GRID?

The removable Range Extender ensures rapid battery recharging. Installed in less than 5 minutes, it recharges the HA16 E batteries to 80% in 3 hours. During recharging, the operator retains full use of the machine.

Obtain more flexibility, with the Range Extender for up to 6 days\*\* of work.

#### **RANGE EXTENDER IN FEW WORDS:**



Opt for a complementary energy source, ideal for worksites without access to the electrical grid.



Keep things simple with a generator that is **interchangeable** between models in the PULSEO range\*.



**Optimize** on-site fleet **recharging.** 



#### **GUARANTEEING YOUR MACHINES' RELIABILITY**

On construction sites, machines can face difficult environments, impacts, overpasses, unstable ground. To ensure the ruggedness of its machines, Haulotte selects quality components and protects electrical and hydraulic components.

#### **DIRECT ACCESS TO COMPONENTS**

Machine components are easily accessible:

- Removable hoods for battery access.
- Easy access to hydraulics.

#### **MAINTENANCE-FREE AGM BATTERIES**

The HA16 E is fitted with AGM batteries as standard, which require no maintenance during the battery lifespan.

#### **MAINTENANCE-FREE ASYNCHRONOUS MOTORS** (AC)

Renowned for their performance, reliability and robustness, asynchronous motors require no routine maintenance.

## **5 ESSENTIAL POINTS**ABOUT THE **HA16 E**

### OPERATE ANYTIME ANYWHERE WITH ZERO EMISSION

- 100% electric drive architecture
- Fully eco-friendly
- Works anywhere: indoor & outdoor in silent mode

#### **BOOST YOUR PRODUCTIVITY**

- Load capacity up to 300 kg and 5° tilt
- Horizontal outreach of 7.9m
- Full day work in electricity mode
- Fast charging thanks to removable Range Extender (option compatible with other PULSEO machines\*)

#### **WORK SAFELY**

- Haulotte Activ'Shield Bar
- Haulotte Activ'Lighting System
- Transport handle: operator is safer while loading/unloading

## FACILITATE MAINTENANCE OPERATIONS

- Haulotte Activ'Screen: on-board diagnostic tool
- AGM batteries
- Easy access to components

- 4 wheel-drive / 4 wheel-steer (PRO model only)
- Mechanical axle with manual differential lock to increase ground traction
- Oscillating axle

EXTENDED ROUGH
TERRAIN CAPABILITIES

xcept HA20 LE.



# HA16 E / HA16 E PRO: PULSEO GENERATION NEW MODELS

#### **MAIN OPTIONS**

Non-marking tires
Accelerated charger
Range Extender
Range Extender protective hood
Carrying handle
Activ'Shield Bar
Activ'Lighting System
SHERPAL: Telematic
Solutions

Swing door entry gate Large basket 2,44m Glazier pack Pipe cradle Power to platform

	<b>HA16 E</b>	HA16 E PRO
Wheel-drive	4	4
Wheel-steer	2	4
Oscillating axle	-	•
355° turret rotation	•	•
360° continuous turret rotation	-	0
Basket load capacity	300 kg	300 kg
Range Extender	0	0
Range Extender protective hood	0	0
Haulotte Activ'Shield Bar	0	•
Haulotte Activ'Lighting System	0	•
Haulotte Activ'Energy Management	•	•
Haulotte Activ'Screen	•	•
○ option / ● standard / - not available		





Haulotte >