

Tenso® TS-600S

Automatic Strapping
Machine – Stainless Steel

#60331S



**Fast, Versatile
& Efficient**

**Automatic
Tension Control**

**Robust Stainless
Steel Housing**

**Economical
Price**

Introducing the Tenso Automatic Strapping Machine, an economy model automatic strapping machine with a robust stainless-steel frame, designed to excel in moist working environments such as meat, seafood, poultry, and agricultural processing plants. This fully automatic strapping machine seamlessly blends user-friendly operation and easy maintenance, providing exceptional value at an economical price. Featuring a polypropylene strap width ranging from 8mm to 12mm, adjustable tension spanning 7 to 70kg, and an operational speed of up to 27 straps per minute, the Tenso machine stands as the most cost-effective solution for general applications requiring wide straps.

Features

- Fast, versatile, and efficient strapping
- Automatic handling and tension control
- Up to 27 straps per minute
- Wide strap compatibility (8mm, 9mm, 12mm or 15.5mm)
- Lubrication free strapping head
- Mechanical outside tension control
- Multiple methods of cycle initiation
- Budget-friendly pricing





Industry Applications

- Meat
- Seafood
- Poultry
- Agricultural processing plants




Options

- Short feed sensor detects whether the strap is at sealing position
- Smoke exhaust system with carbon filter
- Complete arch in stainless steel



Specifications

Capacity	Up to 27 cycles/minute (60Hz, 1PH)
Strap Type	PP Strapping
Strap Width	8mm, 9mm, 12mm or 15.5mm
Tension Range	7 - 70 kg (CE version: up to 45 kg)
Weight	220kg
Electrical Requirements	110V, 220V, 230V, 240V 50/60Hz 1PH 220V, 380V, 400V, 415V 50/60Hz 3PH



▶ See me in action!

Tenso® TS-600S