


Autoalign VH8 3D Wheel Aligner



- AUTO DATA CAR DATA BASE WITH FREE CAR DATA UPDATES
- ADVANCED ALIGNMENT FUNCTIONS : Wheel Deviation, Axis Deviation, Vehicle Lifting adjustment, Tire Removing adjustment, Steering wheel Level adjustment, Body Dimension, Engine bracket adjustment, Lock Toe, Toe Curvature, Zero Toe Camber, Scrub Radius, Body Height.
- SELF CENTERING 3 POINT CLAMPS
- WATER AND OIL PROF TARGETS
- MOBILE UNIT : CAN BE MOVED BETWEEN ALIGNMENT BAYS
- Dell supplied pc
- 6.2 Megapixel cameras for higher accuracy

Features:

Movable post to adjust different operation position. Automatic camera beam movement



Patented water proof and oil resistance

Platform level tolerance allowable

target plate



AUTODATA licensed

Regular software and database update

Functions:

Basic functions:

Camber, Caster, KPI, Toe, Set back, Thrust.






Extensive functions:






Wheel Deviation, Axis Deviation, Vehicle Lifting adjustment, Tire Removing adjustment, Steering wheel Level adjustment, Body Dimension, Engine bracket adjustment, Lock Toe, Toe Curvature, Zero Toe Camber, Scrub Radius, Body Height.

Measurement Accuracy:

items	Display accuracy	Camber	Caster	KPI	Toe	Set Back	Thrust	Wheel deviation	Axis Deviation
Accuracy	1'0.01'/ 0.1mm	± 2'	± 6'	± 6'	± 2'	± 2'	± 2'	± 2mm	± 2mm
Range		± 10°	± 20°	± 23°	± 20°	± 5°	± 5°		

Standard Accessories:

Items	Pictures	Quantity
HD Camera Lens		2
Water proof and oil resistance target plate		4
Aluminum Alloy Turntable (5.0Tons capacity)		2
Dell PC with 32" monitor		1
Steering wheel locker		1

<p>Brake fixer</p>		<p>1</p>
<p>Safety block</p>		<p>2</p>
<p>Turntable transition block</p>		<p>2</p>
<p>HP Pinter</p>		<p>1</p>
<p>Body height target plate</p>		<p>1</p>