


# EMSELLA®

## CLINICAL STUDY RESULTS OVERVIEW

### URINARY INCONTINENCE



Improvement  
in UI at 3 Months<sup>1</sup>



Improvement  
in UI at 12 Months<sup>2</sup>




Improvement  
in Nocturia<sup>1</sup>




Average Hygiene  
Pad Reduction<sup>3</sup>


### INTIMATE WELLNESS




Improvement  
in Sexual Satisfaction  
and Desire<sup>4</sup>



Improvement  
in Orgasm<sup>2</sup>



Overall  
Improvement in Sexual  
Dysfunction<sup>4</sup>



Improvement  
in Maintaining Erection  
in Male Patients<sup>5</sup>

### OTHER OUTCOMES



More Effective  
Compared to Pelvic  
Floor Muscle Training<sup>3</sup>



More Effective  
Compared to Electrical  
Stimulation<sup>6</sup>

#### References:

- 1) Samuels et al., 2019, DOI:10.1002/lsm.23106,
- 2) Evans et al., 2023, DOI: 10.35248/2167 0420.23.12.625,
- 3) Guerette et al., 2023, DOI: 10.35248/2167 0420.23.12.680,
- 4) Hlavinka et al., 2019, DOI: 10.4172/2167 0420.1000455,
- 5) Brandeis et al., 2023, under the process of publication,
- 6) Silantyeva et al., 2019, DOI: 10.1097/SPV.0000000000000807

