

Paxum[®] X0-BG

Paxum Airport Luggage
Wrapping Machine

#62104



**Intelligent
Technology**

**User
Friendly**

**300% Pre-
Stretch Rate**

**Efficient Film
Usage**

Introducing the latest advanced pallet wrapping machine, which combines intelligent features with cutting-edge technology for efficient and effective pallet wrapping. This innovative solution comes equipped with an automatic film changing system, ensuring continuous operation without interruptions. With AI-powered wrapping patterns, it optimizes load stability, while intelligent sensors detect any irregularities during the wrapping process, guaranteeing quality control. The machine also offers remote monitoring and control capabilities, simplifying management and maintenance tasks. Furthermore, it incorporates intelligent load stabilization features to secure the load during transportation. With multiple wrapping modes, it provides enhanced flexibility and options for different pallets and loads.

Highlights

- **X-line IoT Technology:**
Intuitive, user-friendly operation
- **Remarkable 300% Pre-stretch Rate:**
Cost-saving film stretching (1m to 3.5m)
- **Photoelectric Sensor Technology:**
Intelligent, faster wrapping
Height detection capabilities.

Features

- **Intelligent Wrapping Machine:**
Automatic film changes
AI-powered wrapping patterns
Remote monitoring and control
Intelligent load stabilization
Multiple wrapping modes
- **Secure Luggage Fastening:**
Double arm fasteners
Automatic tightening
Robust clamping device
- **User-Friendly Touch Screen:**
X-Line Touch Screen
Intuitive interface
Easy operation
- **Efficient Film Consumption:**
300% pre-stretch rate
Constant releasing film
Fixed-point wrapping
Quantitative film consumption

Optional

- **Optional Weighing Scale:**
Customizable weighing device
Accurate weight determination
Efficient handling and management



Specifications

Turntable diameter	500 mm
Column height	1280 mm
Pre-stretch rate	300%
Film diameter	250mm
Turntable speed	0-20r/min
Up/down speed	6m/min
Film speed	5m/min
Machine weight	400KG
Load weight	Maximum 50KG
Total power	1.2KW
Machine size:	1357*765*2565mm (L*W*H)
Voltage:	220V
Minimum wrapping height	0mm
Wrapping force	Adjustable
PLC	X-line
Inverter	X-line
Travel switch	Omron
Relay	Omron

