

Healthy pallet strapping

Securing loading units ergonomic, easy and efficient



Health is the primary duty of life.



Oscar Wilde Author

Dear Friends of ergonomics,

nothing is more important to the human being than health. Health is essential for all of us. Backaches are a major health problem these days. Almost 50% of all employees suffer from pain in the back and neck area.

To work in a bent down position means strain, especially when strapping pallets manually.

If you are interested in strapping pallets ergonomically, you came to the right place. That's what we do! Ergonomic, easy, efficient – ErgoPack!

That's what we do: Ligonomic, easy, emelent Ligon ack:

Maybe you have never really paid attention to the "pallet strapping" issue. Or have you yourself made the painful experience that strapping is more stressful than it actually seems?

Our suggestion:

Give your employees a break and increase the efficiency of your organization with the help of our ErgoPack systems!

Browse, read – and give us a call if you have any questions.

I hope our technology provides health and efficiency solutions to you.

A. Limmerle

Andreas Kimmerle Founder & Inventor ErgoPack




The problem

Did you know?

Strapping **50 pallets** per day with 2 straps each means each year the operator at least

And with you? Strapping per day with 2 straps each means each year the operator at least



Manual pallet strapping causes back problems, requires more staff and leads to additional costs due to sick leave.
You can avoid it!

Sick leave



Ø5¹ days of sick leave per employee per year in every company in average, just caused by back pain.



Lack of motivation

Working in a **bent position** is stressful & painful for employees.



Time spent

Most of all companies need two minutes for the strapping process, ErgoPack does it in 40 seconds.

The solution



More efficient employees due to physical relief. Your employees will thank you!



Ergonomic

No bending, low risk of injury, prevent back problems! Enthuse your employees, they will be thankful.



Easy

Simple operation, quick training of your employees and suddenly strapping is fun.



Efficient

67% faster pallet strapping ensures more efficient workflows.

The ErgoPack

Unique worldwide





Roll the ErgoStrap in front of the pallet. The ChainLance pulls the strap through under the pallet.



Up again on the rear side and over the pallet into the hand of the operator. The **ChainLance** retracts.



The strap lifter brings the 2nd strap end. The sealing head welds the strap securely.

ErgoStrap unfiltered

Testimonial of Elbe Flugzeugwerke

"Before we started using the ErgoPack system, we used a long stick, went on our knees and had a bent-over position to strap the pallets."



THE ERGOSTRAP ADDED VALUE?

Very helpful, because the system is easy on my back and it is fast.

GÜNTHER EHRLICH EMPLOYEE PRODUCTION

RECOMMEND ERGOPSTRAP?

From our experience, we have been using the machine for one and a half years, I can only recommend **ErgoStrap** to everyone.

HENDRICK KOBER HEAD OF PRODUCTION





Here you can find our satisfied & enthusiastic customers. www.ergopack.com/en/testimonials


















Our customers are the focus of what we are doing. The quality of our efforts is therefore only measured by the satisfaction of our customers.

More than 3 billion bend overs avoided & over 65,000 healthy and happy users thanks to ErgoPack.



Mercedes-Benz



SIEMENS



AGFA







Miele

Back-friendly & awarded 77

What characteristics does a product have to fulfil to provide the spinal column and the locomotor system with optimum support, providing relief and not acting as a burden for the user? As this is not immediately apparent in most products and as industry and the retail sector do not have a clear view, the "Aktion Gesunder Rücken (AGR) e.V." has developed a decision-making aid for consumers.

The AGR Seal of Approval is awarded only to products whose back-friendly design has been verified by anindependent testing committee made up of experts from various medical disciplines. The special, and unique feature of the seal, is the medical multidisciplinary approach to deciding which products receive the AGR Seal of Approval, without being influenced by industry.

Multiple awards

The strict testing criteria and the composition of the committee with designated medical experts means that the AGR Seal of Approval is well accepted in the medical world. For consumers the seal has become established as a clear decision making aid, confirming:

ErgoPack is a back-friendly product!

11

All ErgoPack models

certified & recommended

ErgoPack Success story



First prototype of a strapping device based on a double scissors system similar to a scissors lifting table.



First serial model ErgoPack 300 for composite straps with a core diameter of 75mm, operated by a crank.



The new ErgoPack 600 wins the gold medal at the International Exhibition of Inventons in Geneva, as well as the German Inventor's Award. With the help of the newly developed strap lifter, the operator does not have to bend down anymore at all.



ErgoPack 720E and 730E, the first complete strapping systems with an integrated sealing head and a centralised battery power supply, are part of our product range.



The completely revised Model 2017 with over 40 new features is introduced.



since 2018

ErgoPack E-conomy Line, the further development of the Model 2017. The new intuitive sealing head with touchscreen with an improved ergonomic fit and intuitive control. Reliable and safe strapping, for almost 20 years.



2019

Advanced strapping system meets innovative battery technology. The ErgoPack X-pert Line Lithium combines ergonomics and efficiency at maximum operating time thanks to the latest lithium ion battery technology.

2021

Invention and patenting of the world's first ChainLance.



Introduction of the ErgoPack 500 with a 5m long ChainLance to strap larger pallets with PP and PET strap with a 406mm core diameter.



Change from the crank to an electronic drive operated by battery. The ErgoPack Tool-Lift makes side strapping of high pallets even easier, as different sealing tools can be attached to it and do not have to be held in the hand.



2011

ErgoPack 725E and 740E. Integration of a totally new state of the art sealing head.

2016



since 2014

The ErgoPack Air becomes a milestone in pallet strapping. The worldwide one and only mobile system to strap raised pallets.



The ErgoPack X-pert Line sets the new benchmark. Advanced electronics and newly designed touchscreens on the sealing head and the strapping system guarantee the user interface being intuitive. Also in terms of ergonomics, the X-pert Line sets a new standard.

As the world's leading manufacturer of ergonomic, mobile pallet strapping systems, we are represented in more than 30 countries.

12

X-pert Line









1.200 STRAPPING CYCLES (+340%)



INTUITIVE GUIDANCE

E-conomy Line







350 STRAPPING CYCLES



MECHANICALLY CONTROL

X-pert Line

THAT IS ALREADY PART OF IT



713X LI / 726X LI / 745X LI


- WITH ELECTRONICALLY CONTROLLED DRIVE & CONTROL VIA JOYSTICK
- **LITHIUM BATTERY**
- CHARGER
- LINE LASER
- **TOOL-LIFT**
- SEALING TOOL
- CONTROL VIA INDUSTRY TOUCHSCREEN



700X

- WITH ELECTRONICALLY CONTROLLED DRIVE
 & CONTROL VIA JOYSTICK
- **LITHIUM BATTERY**
- **CHARGER**
- **CONTROL VIA INDUSTRY TOUCHSCREEN**

Special equipment X-pert Line



1 TRIPLEX-TOOL-LIFT

For pallets from 100mm and higher (replaces the standard ErgoPack Tool-Lift)

4 STRAP BRAKE RELIEF

The brake resistance of the strap roll can be reduced to 20% by simply pushing a foot pedal. The manual pulling out of an additional strap is made much easier.

SEALING HEAD REMOVABLE





Adapter for quick and easy removal of the sealing head from the Triplex-Tool-Lift.

5 HEADPIECE WITH BUMPER





For strapping pallets with lateral overlappings up to 40mm, e.g. cardboard covers or uneven side surfaces.

3 REVERSING SLEDGE

Reversing sledge 47 (for X-pert Line and E-conomy Line): Flat version with minimum clearance height 47mm

Reversing sledge 47S (for X-pert Line and E-conomy Line): Slim version with minimum clearance width 160mm

6 EASY MOVE ASSISTANT





Adapter for even easier moving of the ErgoPack.

E-conomy Line

THAT IS ALREADY PART OF IT



713E / 726E / 745E

- WITH ELECTRONICALLY CONTROLLED DRIVE
 & CONTROL VIA JOYSTICK
- 24V AGM BATTERY PACK
- CHARGER
- TOOL-LIFT
- **SEALING HEAD**



700E


- WITH ELECTRONICALLY CONTROLLED DRIVE
 & CONTROL VIA JOYSTICK
- 24V AGM BATTERY PACK
- **CHARGER**



700

MANUALLY DRIVE VIA A HAND CRANK

Special equipment E-conomy Line



1 TRIPLEX-TOOL-LIFT

4

For pallets from 100mm and higher (replaces the standard ErgoPack Tool-Lift).

4 STRAP BRAKE RELIEF

The brake resistance of the strap roll can be reduced to 20% by simply pushing a foot pedal. The manual pulling out of an additional strap is made much easier.

SEALING HEAD REMOVABLE



Adapter for quick and easy removal of the sealing head from the Triplex-Tool-Lift.

5 HEADPIECE WITH BUMPER





For strapping pallets with lateral overlappings up to 40mm, e.g. cardboard covers or uneven side surfaces.

3 REVERSING SLEDGE

Reversing sledge 47 (for X-pert Line and E-conomy Line): Flat version with minimum clearance height 47mm

Reversing sledge 47S (for X-pert Line and E-conomy Line): Slim version with minimum clearance width 160mm

6 _{LINE LASER}



A red laser line enables to position the machine fast, precise and safe in front of the pallet.

Product range

| | | | ErgoPack | X-pert Line | | ErgoPack E-conomy Line | | | | | |
|--------------------|--|---|--|--|--|------------------------------|---|-----------------------------|-----------------------------|-----------------------------|--|
| | Model | 700X LI | 713X LI | 726X LI | 745X LI | 700 | 700E | 713E | 726E | 745E | |
| | | | | | | | | | | | |
| | Power | 235W | 235W | 235W | 235W | - | 93W | 93W | 93W | 93W | |
| | Drive | Electric motor with reinforced angle gear, electronically control | | | trolled | manually via a hand crank | | Electric motor with spur go | | | |
| | Battery | Lithium battery (inter-charging possible) | Lithium battery (inter-charging possible) | Lithium battery (inter-charging possible) | Lithium battery (inter-charging possible) | - | 2 x 12V AGM | 2 x 12V AGM | 2 x 12V AGM | 2 x 12V AGM | |
| Standard equipment | Operating voltage | 36V | 36V | 36V | 36V | - | 24V | 24V | 24V | 24V | |
| | Strapping cycles / battery charge (standard strapping) | 1.200 | 1.200 | 1.200 | 1.200 | - | 350 | 350 | 350 | 350 | |
| | Charger | 36V Charger, 10A | 36V Charger, 10A | 36V Charger, 10A | 36V Charger, 10A | - | 2 x 12V Dual Charger, 2A | 2 x 12V Dual Charger, 2A | 2 x 12V Dual Charger, 2A | 2 x 12V Dual Charger, 2A | |
| | Chainspeed | 66m/min | 66m/min | 66m/min | 66m/min | - | 40m/min | 40m/min | 40m/min | 40m/min | |
| | Pallets width setting | via Siemer | ns Industrial Touchscreen ir | n 10cm steps, works with w | ork gloves | | mechanically, by inserting a bolt in the appropriate position in 20cm steps | | | | |
| | Other settings | individual setting options via the Siemens Industrial Touchscreen, su Chain speed, Chain length, standby timer, Strap lifter time for upper position, Line Laser on/off, Sealing head on/off | | | ch as: | - | - | - | - | - | |
| | Indicators | charging le set pallet w permanent strapping c sliding winc safety instr menu-drive | oll change | - | 31 | _EDs indicating charging le | evel and sliding window "op | en" | | | |
| | Software update | | easy update | via USB stick | | - | | only by m | anufacturer | | |

| | ErgoPack X-pert Line | | | | ErgoPack E-conomy Line | | | | |
|--|--|----------------------------|----------------------------------|--------------------------------|----------------------------|----------------------------------|----------------------------------|----------------------------------|------------------------|
| Model | 700X LI | 713X LI | 726X LI | 745X LI | 700 | 700E | 713E | 726E | 745E |
| | | | | | | | | | |
| AGR certificate | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Chainlance | glasfaserverstärkte, hochfeste Soft-Slide-Spezialkette | | | | | | | | |
| Tool-Lift | - | ✓ | ✓ | ✓ | - | - | ✓ | ✓ | ✓ |
| Sealing head | - | ✓ | ✓ | ✓ | - | - | ✓ | ✓ | ✓ |
| Tension force | - | 150N - 1200N | 400N - 2500N | 400N - 4500N | - | - | 150N - 1200N | 400N - 2500N | 400N - 4500 |
| Strap type | PP/PET | PP/PET | PP/PET | PP/PET | PP/PET | PP/PET | PP/PET | PP/PET | PP/PET |
| Strap width | 9-25mm | 9-13mm | 12-16mm | 15-19mm | 9-25mm | 9-25mm | 9-13mm | 12-16mm | 15-19mm |
| Strap thickness | 0,5-1,3mm | 0,35-0,85mm | 0,5-1,0mm | 0,8-1,3mm | 0,5-1,3mm | 0,5-1,3mm | 0,35-0,85mm | 0,5-1,0mm | 0,8-1,3mn |
| Triplex-Tool-Lift Sealing head | - | <i>'</i> | ✓ ✓ | ✓ ✓ | - | - | ✓ ✓ | ✓ ✓ | ✓ ✓ |
| removable | - | • | ✓ | • | - | - | ~ | ✓ | • |
| Line laser | , | | | | | | | | |
| | . • | ✓ | ✓ | ✓ | - | ✓ | ✓ | ✓ | ✓ |
| Strap brake relief | * | ✓ ✓ | <i>y</i> | ✓ | - • | / | ✓ ✓ | ✓ ✓ | 1 |
| Strap brake relief Reversing sledge | | | | | | | | | |
| Strap brake relief Reversing sledge Headpiece with | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | 1 | ✓ | / |
| Strap brake relief Reversing sledge | ✓ 47 / 47S | ✓ 47 / 47S | √ 47 / 47S | ✓ 47 / 47S | ✓ 47 / 47S / 85S | ✓ 47 / 47S / 85S | ✓ 47 / 47S / 85S | ✓ 47 / 47S / 85S | 47/47\$/8 |
| Strap brake relief Reversing sledge Headpiece with | ✓ 47 / 47S | ✓ 47 / 47S | √ 47 / 47S | ✓ 47 / 47S | ✓ 47 / 47S / 85S | ✓ 47 / 47S / 85S | ✓ 47 / 47S / 85S | ✓ 47 / 47S / 85S | ✓ 47/47\$/8 |
| Strap brake relief Reversing sledge Headpiece with | ✓ 47 / 47S | ✓ 47 / 47S | √ 47 / 47S | ✓ 47 / 47S | ✓ 47 / 47S / 85S | ✓ 47 / 47S / 85S | ✓ 47 / 47S / 85S | ✓ 47 / 47S / 85S | ✓ 47 / 47\$ / 8 |
| Strap brake relief Reversing sledge Headpiece with bumper Mobile overheight | √ 47 / 47S √ | ✓ 47 / 47S ✓ | √ 47 / 47S √ | √ 47/47S √ | ✓ 47 / 47S / 85S | √ 47 / 47S / 85S √ | √ 47 / 47S / 85S √ | √ 47 / 47S / 85S √ | 47 / 47S / 88 |



THAT IS ALREADY PART OF IT

AIR 713-580 / 726-580 / 745-580

- WITH ELECTRONICALLY CONTROLLED DRIVE
 & CONTROL VIA JOYSTICK
- 24V AGM BATTERY PACK
- CHARGER
- TRIPLEX-TOOL-LIFT
- SEALING HEAD
- HEIGHT ADJUSTABLE

The ErgoPack Air is a milestone in pallet strapping. The worldwide one and only mobile system to strap elevated pallets.

For use on conveyor lines, lifting tables or tugger trains.

Accessories





MOBILE OVERHEIGHT MODULE ENABLES STRAPPING OF PALLETS UP TO 3M HEIGHT

This custom-made accessory is designed to strap pallets of up to 3m height. It is an ideal solution to strap pallets with protruding products or sensitive goods, (such as varnished surfaces), securely and gently. Attaches to the ErgoStrap machine via a detachable quick fastener. Once the Mobile Overheight Module gets separated from the ErgoPack machine, normal pallets of up to 2,3m height can be strapped as usual.









STRAPPING FOR SCANTLINGS STATIONARY SLEDGE TUNNELS | LOCAL

The Stationary Sledge Tunnels are fixed on the floor and can be used with every standard ErgoStrap system. The Tunnels are individually adapted to the width of your scantlings.





Accessories



STRAPPING FOR SCANTLINGS MOBILE SLEDGE TUNNEL STATION | LOCAL INDEPENDENT

Flexible and precise. The Mobile Sledge Tunnel Station straps pallets including scantlings. The distance of the scantlings can be adjusted continuously by the aid of an integrated tape measure.

Always adapted to your needs – the Mobile Sledge Tunnel Station is manufactured according to your requirements. The entire station can be moved to wherever you need to strap.





Always close to you



INTERESTED? WE WOULD BE HAPPY TO VISIT YOU.

FREE

Are you interested in the ErgoStrap system? But unsure if it will fit your application? It will be our pleasure to visit you.

We will demonstrate the system and all its capabilities in your environment. With your pallets.

For your employees. Of course free and without any obligations. You will receive our custom-tailored offer, perfectly adapted to your individual needs.

Individual training



INTERESTED IN TRAINING OR NEED INSTRUCTION?

The delivery and training service will help your employees to become familiar with the ErgoStrap immediately. Make it easy for yourself:

Arrange a training for your employees when you order your system. Your ErgoStrap expert will deliver your system personally and train your employees. This takes about two hours.



- basic operation
- care & maintenance
- changing the strap roll
- safety instructions

Customer service




YOUR SATISFACTION IS OUR MISSION.







If you report us a disturbance of your strapping system, our technicians will initially try to solve the problem together with you by phone. This works in three of four cases



Loaner units

If the cause of the defect cannot be found, we will send you right away – usually the same day - one of our loaner units. Thus you will be able to continue to work the next day. Charges may apply.



Repair

Your defective machine will be checked and repaired at our service center in Brisbane and sent back to you at short term.

Guaranteed satisfaction

We are convinced of our ErgoPack system



We are fully convinced of the reliability and efficiency of our ErgoPack systems.

After delivery and training, you therefore have the right to return the ErgoPack system to us within four weeks, if the expected efficiency benefits do not materialize. You will only have to pay a handling fee of eight percent of the net order value and the shipping costs.

Your ErgoStrap expert

Just talk with us.

We would like to visit you. We demo the system and its possibilities in your application area! With your goods! For your employees! Free of charge! Afterwards you will receive your offer for the best suitable system for your specific application.





ErgoStrap Australia 19 Matheson St. VIRGINIA QLD 4014 P: 07 3633 0912



