




# airex

MASTERING THE ELEMENTS





# Contents

**04**

---

## Display Series

- 06 Freestanding Refrigerated
- 08 Freestanding Ambient
- 10 Freestanding Heated
- 12 Countertop Refrigerated & Heated

**14**

---

## Undercounter Series

- 16 1 Door - Solid & Glass
- 18 1/1GN Refrigerators
- 20 1/1GN Freezers

**22**

---

## Upright Series

- 24 Refrigerators
- 26 Freezers

**28**

---

## Merchandiser Series

- 30 Upright - Slimline

**32**

---

## Preparation Series

- 34 Sandwich Prep Benches
- 36 Pizza Prep Benches



**airex**  
MASTERING THE ELEMENTS



# Display Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS



 STODDART®

## Freestanding Refrigerated

The Airex Freestanding Refrigerated Display Series has been specifically designed to display cakes and pastisseries to the highest food safety standards with its adjustable digital temperature control.


Integrating a winning combination of double-glazed heated and frameless glass construction, all Airex display cabinets provide exceptional display with minimal condensation. A uniquely designed vertical integrated low volume airflow system delivers cool air to each shelf, that reduces drying of products and extends the shelf life of merchandise. The range is equipped with reliable and robust components, including highly efficient compressors and EC fans as well as a refrigeration coil with protective coating to help prevent corrosion.

Perfectly matching the Heated and Ambient Series, these versatile refrigerated display cabinets provide hassle free cleaning with removable shelves and condenser filter and is fitted with heavy duty castors for easy maneuverability.



# Display Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




## 900 Series

AXR.FDFSSQ.09

172kg  
3 Tier  
2°C - 5°C  
230VAC / 10A

870 x 688 x 1350




## 1200 Series

AXR.FDFSSQ.12

198kg  
3 Tier  
2°C - 5°C  
230VAC / 10A

1170 x 688 x 1350



## 1500 Series

AXR.FDFSSQ.15

242kg  
3 Tier  
2°C - 5°C  
230VAC / 10A

1470 x 688 x 1350

## Freestanding Ambient

The Airex Freestanding Ambient Display Series has been specifically designed for controlled ambient temperatures and are perfectly suited for the display of a variety of breads, pastries and cakes where temperature is not a concern, but retention of quality is.

Each unit is supplied with an adjustable digital temperature control, single glazed frameless glass construction and energy efficient LED lighting for increased product visibility and exceptional display. The range is equipped with reliable and robust components, including highly efficient compressors and EC fans as well as a refrigeration coil with protective coating to help prevent corrosion.


Perfectly matching the Refrigerated and Heated Series, these versatile Ambient display cabinets provide hassle free cleaning with removable shelves and condenser filter and is fitted with heavy duty castors for easy maneuverability.





# Display Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




## 900 Series

143kg  
4 Tier  
16°C - 20°C  
230VAC / 10A

AXA.FDFSSQ.09

870 x 688 x 1350



## 1200 Series

153kg  
4 Tier  
16°C - 20°C  
230VAC / 10A

AXA.FDFSSQ.12

1170 x 688 x 1350

## Freestanding Heated

The Airex Freestanding Heated Display Series is equipped with an energy efficient fan forced heating system specifically designed to provide safe, excellent temperature control and humidity for pies, pasties and pastries with even air distribution throughout the cabinet to maintain product at the highest quality.


Designed with innovation in mind, each unit is supplied with a concealed water well positioned for hot air to be passed over, introducing humidity into the display, holding products fresher for longer. A winning combination of single glazed frameless glass construction, adjustable digital temperature control and warm LED lighting to each shelf highlights product visibility and outstanding presentation.

Perfectly matching the Refrigerated and Ambient Series these versatile Heated display cabinets provide hassle free cleaning with removable shelves and is fitted with heavy duty castors for easy maneuverability.



# Display Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




## 900 Series

AXH.FDFSSQ.09

123kg  
4 Tier  
60°C - 80°C  
230VAC / 10A

870 x 688 x 1350




## 1200 Series

AXH.FDFSSQ.12

154kg  
4 Tier  
60°C - 80°C  
230VAC / 10A

1170 x 688 x 1350



## 1500 Series

AXH.FDFSSQ.15

180kg  
4 Tier  
60°C - 80°C  
230VAC / 10A

1470 x 688 x 1350

## Countertop Displays

The Airex Countertop Display Series encompasses both Heated and Refrigerated Displays, ideal for areas where floor space is at a premium. Both models feature an adjustable digital temperature control, LED lighting, sliding doors to rear and frameless glass construction for outstanding display.


Countertop Refrigerated Displays feature double glazed heated glass to minimise condensation whilst simultaneously maintaining consistent temperature and keeping products looking fresher for longer. The display is also equipped with reliable and robust components, including highly efficient compressors and EC fans as well as a refrigeration coil with protective coating to help prevent corrosion.

The Heated Display, specifically designed to provide safe, excellent temperature control features a water pan as standard to introduce humidity into the display and is positioned for easy access and maintenance.



# Display Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




## Refrigerated

AXR.FDCTSQ.09

85kg  
3 Tier  
2°C - 8°C  
230VAC / 10A

905 x 575 x 715



## Heated

AXH.FDCTSQ.09

59kg  
3 Tier  
60°C - 80°C  
230VAC / 10A

905 x 575 x 715



# Undercounter Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS



## Refrigerators & Freezers

Airex Undercounter Refrigerators can be supplied with either solid or glass doors while the undercounter Freezer offers solid doors. The range presents 600mm depth and 840mm height, making it ideal for compact or worktop applications. The range is equipped with an adjustable temperature control, environmentally friendly R600a Hydrocarbon refrigerant, two adjustable shelves and a protective coating on the refrigeration coil to help prevent corrosion. CFC free polyurethane insulation provides both structural support and thermal performance efficiency to reduce energy usage across the entire lineup.

Glass door refrigerators feature a lockable double-glazed heated door to provide exceptional display while minimising condensation.


Solid door refrigerators feature a lockable and reversible door to provide adaptability and ensure each unit will fit perfectly into every location.





# Undercounter Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




## Refrigerator

AXR.UC.1

44kg  
-2°C - 8°C  
230VAC / 10A

595 x 600 x 840




## Refrigerator

AXR.UC.1G

49kg  
-2°C - 8°C  
230VAC / 10A

595 x 600 x 840



## Freezer

AXF.UC.1

46kg  
-16°C - -18°C  
230VAC / 10A

595 x 600 x 840

## 1/1GN Refrigerator

Airex Undercounter 1/1GN Refrigerator Series features 2, 3 and 4 door models, each available with either solid or glass doors. Equipped with a Monoblock refrigeration system, each unit allows for improved performance through fan forced ducted cooling, ease of servicing and reliable performance. With efficiency in mind, the series provides an environmentally friendly R290 Hydrocarbon refrigerant and CFC free polyurethane insulation that provides both structural support and thermal performance to reduce energy usage.

Each Airex Undercounter unit comes standard with 1/1GN shelf configuration with adjustable runners, highly efficient compressors and EC fans, a protective coating on the refrigeration coil to help prevent corrosion, adjustable digital temperature control and energy efficient LED lighting for increased product visibility.


Glass door refrigerators feature a lockable double-glazed heated glass door to provide exceptional display while minimising condensation.

Solid door refrigerators feature self-closing lockable doors to provide security and peace of mind.




# Undercounter Series


DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




**2 x Solid Doors**      AXR.UCGN.2  
102kg  
0°C - 6°C  
230VAC / 10A




**2 x Glass Doors**      AXR.UCGN.2G  
107kg  
0°C - 6°C  
230VAC / 10A




**3 x Solid Doors**      AXR.UCGN.3  
122kg  
0°C - 6°C  
230VAC / 10A



**3 x Glass Doors**      AXR.UCGN.3G  
133kg  
0°C - 6°C  
230VAC / 10A



**4 x Solid Doors**      AXR.UCGN.4  
151kg  
0°C - 6°C  
230VAC / 10A



**4 x Glass Doors**      AXR.UCGN.4G  
164kg  
0°C - 6°C  
230VAC / 10A



## 1/1GN Freezers

The Airex Undercounter 1/1GN Freezer range features 2 or 3 door models with reversible lockable solid doors. Equipped with a Monoblock refrigeration system, each unit allows for improved performance through fan forced ducted cooling, ease of servicing and reliable performance. With efficiency in mind, the series provides an environmentally friendly R290 Hydrocarbon refrigerant and CFC free polyurethane insulation that provides both structural support and efficient thermal performance to reduce energy usage.


Each Airex Undercounter unit comes standard with 1/1GN shelf configuration with adjustable runners, highly efficient compressors and EC fans, a protective coating on the refrigeration coil to help prevent corrosion, adjustable digital temperature control and energy efficient LED lighting for increased product visibility.

Solid door freezers feature self-closing lockable doors to provide security and peace of mind.



# Undercounter Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




**2 x Solid Doors**

AXF.UCGN.2

107kg  
-16°C - -20°C  
230VAC / 10A

1360 x 700 x 840



**3 x Solid Doors**

AXF.UCGN.3


128kg  
-16°C - -20°C  
230VAC / 10A

1795 x 700 x 840



# Upright Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS



## Upright Refrigerators

The Airex Upright Refrigerator Series feature 1 or 2 door models with the option of either solid or glass doors. Airex Upright Refrigerators are equipped with a Monoblock refrigeration system and vertically integrated ducted cooling for efficient airflow throughout the entire unit. With efficiency in mind, the series provides an environmentally friendly R290 Hydrocarbon refrigerant and CFC free polyurethane insulation that provides both structural support and efficient thermal performance to reduce energy usage.

Airex units are supplied standard with five adjustable shelves per door to maximise storage, with highly efficient compressors and EC fans as well as a protective coating on the refrigeration coil to help prevent corrosion. Adjustable digital temperature control and energy efficient LED lighting is also provided for increased product visibility.

Glass door refrigerators feature a self-closing, lockable, double glazed heated door that provides exceptional display while minimising condensation.


Solid door refrigerators feature a self-closing, lockable door to provide security and peace of mind.





# Upright Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




**1 x Solid Door**

AXR.URGN.1

130kg  
0°C - 6°C  
230VAC / 10A

**700 x 850 x 1990**




**1 x Glass Door**

AXR.URGN.1G

138kg  
0°C - 6°C  
230VAC / 10A

**700 x 850 x 1990**




**2 x Solid Doors**

AXR.URGN.2

197kg  
0°C - 6°C  
230VAC / 10A

**1400 x 850 x 1990**



**2 x Glass Doors**

AXR.URGN.2G

205kg  
0°C - 6°C  
230VAC / 10A

**1400 x 850 x 1990**



## Upright Freezers

The Airex Upright Freezer Series by Airex features both 1 or 2 solid door models. All freezers are equipped with a Monoblock refrigeration system and vertically integrated ducted cooling for efficient airflow throughout the entire cabinet. With efficiency in mind, the series provides an environmentally friendly R290 Hydrocarbon refrigerant and CFC free polyurethane insulation that provides both structural support and efficient thermal performance to reduce energy usage.


Airex units are supplied standard with five adjustable shelves per door to maximise storage, with highly efficient compressors and EC fans as well as a protective coating on the refrigeration coil to help prevent corrosion. An adjustable digital temperature control and energy efficient LED lighting are also fitted for effective performance and increased product visibility.

Solid door freezers feature a self-closing, lockable door to provide security and peace of mind.



# Upright Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




## 1 x Solid Door

AXF.URGN.1

132kg  
-16°C - -20°C  
230VAC / 10A

700 x 850 x 1990



## 2 x Solid Doors

AXF.URGN.2

223kg  
-16°C - -20°C  
230VAC / 10A

1400 x 850 x 1990

# airex

MASTERING THE ELEMENTS



# Merchandiser Series




## Upright Merchandisers

The Airex Upright Merchandiser Series has been specifically designed to provide an attractive ready-to-serve cold drink display in a compact footprint. Featuring an adjustable digital temperature control, it utilises a winning combination of double glazed glass door and energy efficient LED lighting. Assisted fan forced airflow delivers cool air to the entire display, combined with environmentally friendly R600a Hydrocarbon refrigerant and a cyclopentane polyurethane insulation, the slimline merchandiser is an efficient solution for any front of house application.

Airex sets the new standard in versatile refrigerated merchandisers with an electrostatic finish to aid in the prevention of finger print marks and smudges. The unit is supplied with five adjustable shelves as well as a self-closing lockable door and adjustable feet.



# Merchandiser Series



**Slimline**

52kg  
0°C - 10°C  
230VAC / 10A

AXR.MEUR.SL

390 x 475 x 1880

**airex**  
MASTERING THE ELEMENTS





# Preparation Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS



## Sandwich Prep Benches

Airex Sandwich Preparation benches offer a range of flexible options including 1, 2 and 3 door configurations with the option of a sleek and modern, toughened frameless glass gantry, fixed with mid-shelf. High-end quality and aesthetic with 1/3 GN pan compatibility, the refrigerated service well generates cold air that distributes both above and below ingredient pans. The unique full-length, coated evaporator coil provides uniformed cooling across the entire well while operating as a fully self-contained unit.


Supplied with sliding Perspex lids for the blown well, digital temperature display and control, cutting board and 100mm deep 1/3GN pans.

Fitted castors (2 lockable) provide the perfect solution for ongoing hygiene and flexibility.



# Preparation Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




**1 x Solid Door**

AXR.SW.1025

112kg  
5 x 1/3GN  
2°C - 5°C  
230VAC / 10A

1025 x 845 x 900




**2 x Solid Doors**

AXR.SW.1740

175kg  
9 x 1/3GN  
2°C - 5°C  
230VAC / 10A

1740 x 845 x 900




**3 x Solid Doors**

AXR.SW.2450

226kg  
13 x 1/3GN  
2°C - 5°C  
230VAC / 10A

2450 x 845 x 900



**Glass Gantry**

AXR.SW.xxxx.GAN

to suit 1025, 1740 &  
2450 wide units

500d x 450h

\*AXR.SW.1025.GAN model shown

## Pizza Prep Benches

Airex Pizza Preparation benches are available in 1, 2 and 3 door configurations. With 1/3 GN pan compatibility, the angled refrigerated service well generates cold air that distributes both above and below ingredient pans. The unique full-length, coated evaporator coil provides uniformed cooling across the entire well while operating as a fully self-contained unit.


Supplied with removable insulated tilting stainless steel night lids, digital temperature display and control and pizza racks with dropping tray.

The exclusive design provides value for money while offering ideal flexibility. Each sized unit is fitted on castors (2 lockable) for ease of cleaning and adaptable to any new or existing location.



# Preparation Series

DESIGNED AND ENGINEERED IN AUSTRALIA TO MEET AUSTRALIAN STANDARDS




**1 x Solid Door**

AXR.PM.1025

115kg  
5 x 1/3GN  
2°C - 5°C  
230VAC / 10A

**1025 x 895 x 1054**




**2 x Solid Doors**

AXR.PM.1740

179kg  
9 x 1/3GN  
2°C - 5°C  
230VAC / 10A

**1740 x 895 x 1054**



**3 x Solid Doors**

AXR.PM.2450

233kg  
13 x 1/3GN  
2°C - 5°C  
230VAC / 10A

**2450 x 895 x 1054**



# airex

MASTERING THE ELEMENTS

Airex's extensive range of refrigeration and display products, exclusive to Stoddart, has been designed and tested in Australia to master the elements of its diverse climate. Airex's innovative and sleek line-up will fit seamlessly into any commercial setting, in retail, commercial kitchens, cafés, in either front or back of house applications. Providing outstanding food safety standards, hygiene and high-quality components, Airex sets a new standard for refrigeration and display within the food service market.



woodson®

Culinaire®

ASADO®

Halton

CookTek®

airex®

Electrolux  
PROFESSIONAL

STODDART  
PLUMBING PRODUCTS

GIORIK

ANETS

STODDART  
INFRASTRUCTURE

METRO®

AMERICAN RANGE

ADANDE

SIMPLY  
STAINLESS

power soak.

TOWN&PARK

Perf

STODDART®



*Brisbane*

*Sydney*

*Melbourne*

*Perth*

*Adelaide*

**1300 79 1954**

[www.stoddart.com.au](http://www.stoddart.com.au)

*Auckland*

**0800 79 1954**

[www.stoddart.co.nz](http://www.stoddart.co.nz)

Manufactured or Imported  
& distributed exclusively by:



Find Stoddart on:

