

# kingon



## Kingon P2-E6

### Portable Oxygen Concentrator

Portable pulse-dose supplemental oxygen therapy that moves with you, without compromising performance.



#### Ultra-Lightweight Design

Weighs just 1.98 kg for easy, everyday portability.



#### Smart Oxygen Delivery

Pulse-dose technology delivers oxygen only when you need it.



#### Whisper-Quiet Operation

Low noise output for comfortable day and night use.



#### Long-Lasting Battery

Up to 5+ hours of operation on a single charge.




#### Travel Ready Power System

FAA approved with global power compatibility.

# Designed for Lightweight, Reliable Supplemental Oxygen Therapy On The Go

The Kingon P2-E6 combines ultra-lightweight portability with powerful, dependable supplemental oxygen therapy.

Designed to move with you, it delivers efficient oxygen support in a compact form that fits seamlessly into your everyday life.



## Smart Oxygen Delivery & Performance

The P2-E6 uses advanced pulse-dose technology to deliver oxygen precisely when you inhale, improving efficiency and reducing waste. With six adjustable flow settings, it provides reliable, consistent support tailored to your needs.



### Delivery System

- Pulse dose flow settings: 1 - 6
- Intelligent inhalation detection
- Smart auto-pulse mode

### Performance Output

- Oxygen concentration: 90% -3%/+6%
- Stable output across pulse settings
- Low noise operation suitable for daily use

### Pulse Flow vs Continuous Flow



## Long-Lasting Battery Performance

Enjoy extended use with up to 5 hours of operation on a single battery at lower settings. Dual batteries and quick-swap capability keep you powered throughout the day, whether at home or on the move.

Pulse Setting	Battery Duration
Flow Setting 1	5.4 hours
Flow Setting 2	4.5 hours
Flow Setting 3	3.3 hours
Flow Setting 4	2.5 hours
Flow Setting 5	2.1 hours
Flow Setting 6	1.7 hours



### Integrated Safety Monitoring

Built-in alarms provide operational reassurance, alerting you to low oxygen concentration, low battery, no breath detected, or system faults.



### Travel-Ready Power System

FAA approved for air travel, the Kingon P2-E6 includes an AC adaptor, DC car charger, and a rechargeable lithium battery

# Built for Everyday Mobility

Weighing approximately 1.98 kg, the Kingon P2-E6 is designed to support active use at home, in the community, and while travelling.

Its compact footprint and included carry bag allow for convenient daily transport while providing reliable supplemental oxygen therapy wherever you go.



## Compact & Lightweight Design

Engineered for portability, the Kingon P2-E6 supports mobile supplemental oxygen therapy in a compact, travel-friendly format.


- Weight: Approx. 1.98 kg
- Dimensions: 22 cm (H) × 16 cm (W) × 8.5 cm (D)
- Ergonomic carry design with included carry bag

Its lightweight construction supports comfortable extended use across home, community and travel environments.



## Clear, Simple Operation

The clear LCD display and straightforward controls make the unit easy to use, even for first-time oxygen concentrator users.




## Low Noise Operation

Kingon P2-E6 operates at just 37 dB(A), keeping use discreet in shared or public spaces



## 5 Years Total Warranty

Your Kingon Portable Oxygen Concentrator includes a 3-year warranty, plus a 2-year warranty upgrade when registered on [kingon.com.au](http://kingon.com.au)



## Technical Specifications

Weight	1.98kg (includes battery)
Size	Length: 221mm
	Width: 85mm
	Height: 160mm (includes battery)
ARTG	Included in the ARTG

### Flow Setting & Pulse Volume

Oxygen Flow	Pulse dose delivery system
Oxygen Flow Max	Pulse - 1,000ml/min - equivalent (approx) to 5 Litres Per Minute (LPM)
Oxygen Concentration	90% -3%/+6% at all settings
Warm-Up Time	2 minutes
Display Screen	2.8 inch

### Battery & Power

Battery	Five flow settings: 1, 2, 3, 4, 5, 6 Duration: up to 5 hours Recharge: approximately 4 hours with AC/DC power supply
---------	--

Power	AC power supply 100-240V, 50-60Hz (Auto sensing to allow worldwide use)
Voltage	14.4VDC, rated capacity: 6.8Ah
Sound Level	37 dB(A) (on setting 2) (Prüfmethode 14-10/2018 MDS-Hi)

### Warranty & Quality Standards

Quality Standards	FDA, CE, FAA Approved
In Flight Use	Approved
Warranty	(3-year standard + 2-year free extension when you register your device) 1 year for battery & sieve bed
Operation	Operation Simple control functions and easy-to-read LCD display

### Package Includes:

	1 x Kingon P2-E6		1 x DC Charger (charge in the car)
	2 x Batteries		1 x Carry Bag
	1 x AC Charger		1 x Nasal Cannulas
			5 x Air Filters

kingon