

# CHAINS & TOOLING



FARMING THE FUTURE

DC72 Disc Chain

# PRICKLECHAIN PC18



Superior small seeds incorporation using Prickle Chain

- » Excellent stubble control in sensitive soils
- » Superior small seed incorporation
- » Superior minimum tillage option
- » Superior seeder trailing harrow



# DOGLEGCHAIN DLC36



DLC36 being used as a seeder trailing harrow

- » Superior stubble control in erosive soils
- » Excellent small seed establishment
- » Superior zero til option
- » Excellent seeder trailing harrow



20mm Bar Weldless Link



### SPECIFICATIONS

WEIGHT	18KG/M
LINK COMPOSITION	20MM BAR
HUB COMPOSITION	WELDLESS CHAIN
OVERALL DIAMETER	260MM
SPIKES/M	28
EFFECTIVE LENGTH	74MM
SPIKE LENGTH	85MM


600-3 Ductile Iron Link



### SPECIFICATIONS

WEIGHT	36KG/M
LINK COMPOSITION	600-3 DUCTILE IRON
HUB COMPOSITION	PATENTED HOOK & EYE
OVERALL DIAMETER	255MM
LINKS/M	12.5
EFFECTIVE LENGTH	80MM
DIRECTION OF SPIKE	CAN BE USED EITHER WAY

# DISCCHAIN DC60



Seedbed preparation with DC60

- » Excellent performance across all applications
- » Superior Stubble Incorporation
- » Superior Soil Levelling
- » Optimum seedbed preparation




SPECIFICATIONS	
WEIGHT	60KG/M
DISC COMPOSITION	6MM BISALLOY 80
HUB COMPOSITION	80MM SOLID BAR
OVERALL DIAMETER	305MM
DISC SPACING	150MM
CHAIN LINK FORM	PINNED MODULES
DISC SHAPE	FLAT OR CURVED

# DISCCHAIN DC64



Seedbed preparation with Sharpened Disc DC64

- » Replaceable Discs for High Usage & Contractors
- » Sharpened Disc for maximum cut-out
- » Excellent Performance in Heavy Soils
- » Maximum Chain Flexibility




SPECIFICATIONS	
WEIGHT	69KG/M
DISC COMPOSITION	4.75MM NM400
HUB COMPOSITION	PATENTED FORGED STEEL HOOK & EYE
OVERALL DIAMETER	368MM
DISC SPACING	160MM
CHAIN LINK FORM	REPLACEABLE DISC HOOK & EYE
DISC SHAPE	CURVED

# DISCCHAIN DC72



Stubble knockdown and levelling with DC72

- » Replaceable Discs for High Usage & Contractors
- » Maximum Tilth Creation
- » Excellent Performance in Heavy Soils
- » Maximum Chain Flexibility




SPECIFICATIONS	
WEIGHT	72KG/M
DISC COMPOSITION	6MM BISALLOY 400
HUB COMPOSITION	PATENTED FORGED STEEL HOOK & EYE
OVERALL DIAMETER	325MM
DISC SPACING	160MM
CHAIN LINK FORM	REPLACEABLE DISC HOOK & EYE
DISC SHAPE	CURVED

# DISCCHAIN DC90



Creating a seedbed with sharpened disc DC90

- » Sharpened Disc for maximum cut-out
- » Interchangeable Universal Hub
- » Bolt-on Discs for reduced replacement cost
- » Removable Counter-weight



SPECIFICATIONS	
WEIGHT	98KG/M
DISC COMPOSITION	4.75MM NM400
HUB COMPOSITION	PATENTED FORGED STEEL HOOK & EYE
OVERALL DIAMETER	368MM
DISC SPACING	160MM
CHAIN LINK FORM	REPLACEABLE DISC HOOK & EYE
DISC SHAPE	CURVED




Zero till stubble mulching with Knuckle Chain

- » Maximum zero till stubble mulching
- » Improves germination rate
- » Suits all soil types
- » All-in-one preparation and seeding chain



80mm Bisalloy



SPECIFICATIONS	
WEIGHT	96KG/M
KNUCKLE COMPOSITION	BISALLOY 80
HUB COMPOSITION	80MM SOLID BAR
OVERALL DIAMETER	230MM
KNUCKLES/M	40
LINKS FORM	PINNED MODULES
SPIKE LENGTH	120MM

# RETRO-FIT

FIT OUR CHAINS TO ANY BAR!



NARROW DISC SPACING



SELF-SHARPENING CUTTING EDGE




REPLACEABLE DISC HOOK & EYE

Enjoy the benefits of our Chains & Tooling options without the expense of a full ChainBar.

Simply measure how much chain you need, give us a call to order, and have a fully assembled chain delivered to your farm.

See *BROOKFIELD®* Chains & Tooling for more information or **CALL US NOW** to discuss your requirements.

# TOOLING QUICK COMPARISON CHART

	PC18 	DLC36 	DC60 	DC64 	DC72 	DC90 	KC96 
<b>CHAIN CHARACTERISTICS</b>							
Weight (kg/m)	18	36	60	69	72	98	96
Overall Diameter (mm)	260	255	305	368	325	368	230
Physical Flexibility	N/A	High	Low	Moderate	Heavy	Moderate	Low
Disc Thickness	N/A	N/A	6mm	4.75mm	6mm	4.75mm	N/A
Disc Type	N/A	N/A	Curved	Sharpened	Curved	Sharpened	N/A
Replaceable Discs	N/A	N/A	No	Yes	Yes	Yes	N/A
Typical Tilth Level	Minimum	Zero	Medium	Heavy	Heavy	Heavy	Minimum
<b>SOIL TYPES</b>							
Hard & Tight	x	x	✓	✓✓✓	✓✓	✓✓✓✓	✓✓
Heavy	✓	✓✓	✓✓	✓✓✓	✓✓✓✓	✓✓✓	✓✓
Light	✓✓✓	✓✓✓✓	✓✓	x	✓	x	✓✓✓
Erosion Sensitive	✓✓✓	✓✓✓✓	✓	x	x	x	✓✓✓✓
<b>STUBBLE MANAGEMENT</b>							
Stubble Knockdown	✓✓	✓✓✓	✓✓✓	✓✓✓✓	✓✓✓	✓✓✓✓	✓✓✓✓
Stubble Mulching	✓	✓✓✓✓	✓✓✓	✓✓	✓✓✓	✓✓	✓✓✓✓
Stubble & Soil Mix	✓	x	✓✓	✓✓✓✓	✓✓✓	✓✓✓✓	✓✓✓
<b>SEEDING</b>							
Canola & Grasses	✓✓✓	✓✓✓✓	✓	x	x	x	✓✓✓✓
Cereal	✓✓✓	✓✓✓✓	✓✓✓	x	✓✓	x	✓✓✓✓
<b>OTHER TASKS</b>							
Weed Control	✓	x	✓✓	✓✓✓✓	✓✓✓	✓✓✓✓	✓
Chemical Incorporation	✓✓✓	✓✓	✓✓✓✓	✓	✓✓✓	x	✓✓✓
Soil Levelling	✓✓	✓✓✓	✓✓✓✓	✓✓	✓✓✓	✓✓	✓✓✓✓

## LEGEND

Not Recommended	Acceptable	Good	Great	Recommended
x	✓	✓✓	✓✓✓	✓✓✓✓

For Details on Horsepower, please see ratings table on page 12

1800 774 274

FARMING THE FUTURE



**BROOKFIELD<sup>®</sup>**  
**FARMING THE FUTURE**

**1800 774 274**

**[www.brookfield.net.au](http://www.brookfield.net.au)**

**[sales@brookfield.net.au](mailto:sales@brookfield.net.au)**