




HA Highbay

Explosion Proof High Bay



EarthLight  TM
TRADE

Industrial & Commercial Lighting
earthlight.com.au


HA Highbay

Explosion Proof High Bay

The HA Highbay offers a comprehensive solution for any hazardous area lighting project. With heavy duty construction using high-strength and low-copper aluminum alloy, the HA Highbay is specially designed for use in Class I Division II environments.

Multiple Mounting Options

- ✓ Explosion Proof Certified — IECEx approved for hazardous zones
- ✓ Rugged Construction — Anti-corrosive body with IK08 impact resistance
- ✓ Reliable Power — Inventronics driver, 100–277VAC input
- ✓ Secure Cable Entry — M25 gland entry point
- ✓ Versatile Mounting — Supplied with mounting bracket
- ✓ Optional Wire Guard
- ✓ 5-Year Warranty



HA Highbay


Specifications

CODE	ETG-10HX086
Power	200W
Mounting	Bracket Included
Cable Entry	M25
Enclosure	Anti-Corrosive
Luminous flux (lm)	28,000lm
Luminous efficacy (lm/W)	140lm/W
CCT	5000K
Input Voltage	100-277 VAC
Color Rendering Index	Ra70/Ra80/Ra90
Life Time of LED @Ta=25°C	96395 hrs-L80 153225 hrs-L70
IP Rating	IP66
IK Rating	IK08
Warranty	5 Years



HA Highbay

Dimensions



EarthLight  TM
TRADE

Industrial & Commercial Lighting
EarthLight.com.au

ILLUMINATETM
BETTER