

Paxum® X100

Paxum Fully Automatic
Pallet Wrapping Machine
With Roping System

#62212RS



Auto Height
Detection

Auto Roping
System

Remote Control
Operation

Auto Cut &
Clamp Film

The Paxum X100-RS is a cutting-edge machine with a range of features, including a built-in Roping System, designed to optimise the efficiency of the pallet wrapping process.




Features

- Auto Roping System
- High efficiency and low energy consumption
- Remote Controlled System
- Automatic Photoelectric sensor detects pallet height
- Automatic film cut and clamp function
- Multi-layer function: This function can set different wrapping cycles and wrapping tension at any height, up to 9 layers per pallet.
- 400% pre-stretch film rate
- Advanced Safety Technology
 - Safety device under film carriage to protect the foot or head of the operator
 - Transparent panel makes it easy to find problem without opening door.
 - Up and down belt deviation and damaged alarm system
- High quality electrical components
- LCD Touch Operating System
- Automatic Rope Grip System
- Soft start and soft stop
- Intelligent Alarm system with LED Indicator
- 1650mm turntable
- 2350mm wrapping height
- Max load weight: 2000KG
- 3 Year Warranty



Specifications

Production Rate	20-25 loads/hour
Turntable Speed	3-12RPM(Adjustable)
Turntable Diameter	1650mm
Max. Load Weight	2000kgs
Std. Wrapping Height	2350mm
Pre-stretch Rate	400% pre-stretch maximum
Up & Down Speed	1.5 ~5.5 m/mins
Voltage	240V
Machine weight	680kg
Machine size	L2710mm*W1650mm*H2720mm
Film Spec.	500mm wide, 250mm diameter, 76mm core diameter
PLC	Siemens
Compressed Air	No
Technical Data	Operation Manual
Warranty	3 Years



See me in action!

Paxum® X100RS