

Suction Unit Medeas

Hadewe Smart Displays Are Breaking Boundaries For Footcare

The suction unit Medeas creates a new standard by meeting the highest requirements. Modern, unique, and equipped with a couple of technical finesses it offers secure and clean work. The modern touch screen display makes work much easier in many ways.

Preferred speeds are to be seen directly on the display. Help videos describe the most important features and make the first steps foolproof. Instructions (e.g. change filter bags, clean chuck, etc.) can be displayed on the monitor. With the help of a USB stick you can show your clients your own pictures; for example to illustrate their treatment progresses. Regarding the handpiece you have two choices as the Medeas can be supplied with either an all-round suction with automatic clamping or the established side suction with hadewe knob clamping.









TOUCHSCREEN

VIDEO-TUTORIALS

HANDPIECE WITH LIGHT

Handpieces You Have The Choice

The Medeas is available with 2 different handpieces. The main difference is the shape and the way of inserting the burs. The following list gives you a guidance which handpiece is the best for your purposes.

The Plus handpiece uses the superior hadewe clamping system, which holds tools strong at even high speeds of 40.000 rpm, and prevents instruments from slipping out. The Chrome handpiece uses the market common automatic clamping system, which has a smaller handpiece, but is best used at speeds only up to 30.000 rpm to ensure that tools hold tight and are not negatively influenced by small deviations.



Handpiece Comparison		
Part number of the handpieces	6272	6400
Name of device	Medeas Plus	Medeas Chrome
Maximum speed	40.000 rpm	40.000 rpm
Inserting burs	hadewe Power Clamping	Automatic Clamping
Holding force of burs	+++	++
Inserting burs without resistance	+++	++
Light at handpiece	Yes	No
On/off button at handpiece	Yes	No
Size/weight of handpiece	++	+++
Suction	+++	+++
Torque of motor	+++	+++

⁺⁺⁺ very good ++ good

Suction Unit Medeas in Detail

Speed

Choose speed between 6.000 and 40.000 rpm with keys + and –

Multimedia Support

Access directions and help videos directly on the display, and see treatment pictures of your clients or example pictures.



Memory Function

Save and call up speed and suction capacity.

Suction Control

Set suction capacity in 5 steps. Filter bags are approved by the BIA (German Institute for Health and Safety in work environment).

Useful Info

The display features useful info such as suction setting, current date and time, and indicates when it is time for a filter change or inspection.

All-Round Suction

The unit is also available with all round suction and automatic clamping.



Handpiece Holder

Open, easy to clean handpiece holder directly attached to the unit.

Smart Key

The key allows to easily switch between pre-set speeds or to turn on/off the complete unit.

Soft Knob

Insert instruments comfortably and without resistance thanks to the soft knob.



Light At Handpiece

We are not leaving you in the dark. The powerful LED ensures the optimum illumination of the treatment space.

Smart Work Simplification

Touchscreen-Display

Multimedia Support

Videos help you with the first steps. You have access to the manual in multiple languages directly on the display.



Treatment Presentation

Pictures say more than words. Use the image viewer in the display to explain the planned treatment steps to your client.

With the help of a USB stick you can also show your own pictures, which gives you the possibility to illustrate the treatment progress for your client.



Speed and Suction Memory

You have 3 memory locations at your disposal. The saved speed and suction level is shown directly on the buttons.

