

Solid-state Timers

H3DT



- Low power consumption
- Push-In Plus terminal blocks for easy wiring
- Certified for safety standards of major countries

More Advanced Timers for New Control Panels

Technology and Quality Developed over 80 Years of History



Now the H3DT Series of Timers Are Available with New Advanced Concepts

It's been 80 years since the production of OMRON's first product: an X-ray Timer. They provide more value to the customer while leading control panels to a new stage.




Half the Power Consumption*1

At Least 3 Times the Life Expectancy*2

Ambient Operating Temperature of 60°C

- *1. Comparison with previous OMRON Timer (excluding the H3DT-H).
- *2. Comparison with previous OMRON Timer under adverse conditions.



New Value For Control Panels

Value Design For Panel

Our shared Value Design for Panel (herein after feeferred to as "Value Design") concept for the specifications of products used in control panels will create new value to our customer's control panels. Combining multiple products that share the Value Design concept will further increase the value provided to control panels.

Control Panels: The Heart of Manufacturing Sites.


Evolution in control panels results in large evolution in production facilities.

And if control panel design, control panel manufacturing processes, and human interaction with them are innovated, control panel manufacturing becomes simpler and takes a leap forward. OMRON will continue to achieve a control panel evolution and process innovation through many undertakings starting with the shared Value Design for Panel concept for the specifications of products used in control panels.



The Top Class in Industry*1 for Low Power Consumption


Power consumption is low, which reduces the DC power supply load for the entire control panel.



Push-In Plus Terminal Blocks for Easy Wiring

Just Insert Wires: No Tools Required Now you can use Push-In Plus terminal blocks to reduce the time and work involved in wiring.

Greatly Reduce Wiring Work with Push-In Plus Terminal Blocks



*Information for Push-In Plus and screw terminal blocks is based on

OMRON's actual measurement value data

No Retightening Required

Tightening screws is necessary for screw terminal blocks, but with Push-In Plus terminal blocks, there is no need for retightening.

This reduces works for wirings, inspections, delivery (shipping), or maintenance.



OMRON's Push-In Plus terminal blocks are as easy as inserting to an earphone jack. They help reduce the work load and improve wiring quality.

Held Firmly in Place

Even though less insertion force is required, the wires are held firmly in place. The advanced mechanism design technology and manufacturing technology produced a spring that ensures better workability and reliability.

IEC standard	Push-In Plus	Screw terminal	
(cable diameter)	terminal block	block	
20 N min. (AWG20,0.5 mm²)	125 N	112 N	

*Information for Push-In Plus and screw terminal blocks is based on OMRON's actual measurement value data

Certified for Safety Standards of Major Countries

The Timers help to reduce the work involved in control panel design with certifications and compliance for various standards, including UL Listing.



*CSA conformance evaluation by UL.

Product Lineup

Model	H3DT-N/-L	H3DT-A	H3DT-F	H3DT-G	H3DT-H
Туре	Multi-functional Timers	Power ON-delay Timers	Twin Timers	Star-delta Timers	Power OFF-delay Timers
Appearance	Panel	Panel	Panel	Panel	Fanel

Accessories

7 (0000001100		
Model	Y92A-D1A	
Name	Front cover	
Appearance		

Refer to the H3DT Solid-state Timers Datasheet (Cat. No. M090) for details.

Products That Create New Value in Control Panels





Switch Mode **Power Supplies** S8VK-S



Uninterruptible Power Supply (UPS) SARA



Measuring and Monitoring Relays K8DT



Solid-state Timers H3DT



Solid-state Timers H3Y(N)-B



Solid-state Timers H3RN-B



Liquid Leakage Sensor Amplifiers



Sockets for Relays with Forcibly Guided Contacts (for G7SA) P7SA-PU



(for MY/H3Y(N)-B) PYF-PU(-L)



(for G2R-S/H3RN-B/K7L-B) P2RF-PU



Slim I/O Relays



Slim I/O Relays



I/O Relay Terminals



Pushbutton Switches Push-In Plus Terminal Block Series A22N-P/A30N-P/M22N-P



Solid State Relays for Heaters



DIN Track Terminal XW5T



F5CC-B/F5FC-B



www.ia.omron.com/solution/panel/



Innovation in Control Panel Building Cat. No. Y218

Before you place an order, please read and understand "Agreement for Using the Product" available on Omron's latest "Best control devices Omron", "General Brochure" or Omron's website.

OMRON Corporation Industrial Automation Company Kyoto, JAPAN

Contact: www.ia.omron.com

Regional Headquarters OMRON EUROPE B.V.

Wegalaan 67-69, 2132 JD Hoofddorp The Netherlands Tel: (31)2356-81-300/Fax: (31)2356-81-388

OMRON ASIA PACIFIC PTE. LTD.

No. 438A Alexandra Road # 05-05/08 (Lobby 2), Alexandra Technopark, Singapore 119967 Tel: (65) 6835-3011/Fax: (65) 6835-2711

OMRON ELECTRONICS LLC

2895 Greenspoint Parkway, Suite 200 Hoffman Estates, IL 60169 U.S.A. Tel: (1) 847-843-7900/Fax: (1) 847-843-7787

OMRON (CHINA) CO., LTD.

Room 2211, Bank of China Tower, 200 Yin Cheng Zhong Road, PuDong New Area, Shanghai, 200120, China Tel: (86) 21-5037-2222/Fax: (86) 21-5037-2200

Authorized Distributor:

© OMRON Corporation 2016 All Rights Reserved. In the interest of product improvement, specifications are subject to change without notice.

CSM_1_3_0119 Cat. No. M091-E1-01

0316 (0316)