

## PRODUCT SPECIFICATIONS

Olnova's 95 Series mobile shredder is the pinnacle of engineering and performance. Processing up to 200 tons per hour, it processes various waste types with ease, including industrial, bulky, municipal, wood, C&D and cars. Equipped with diesel or electric engines, it's offered in stationary or mobile versions.




### Features

- Remote control
- Durable shredding parts
- Capacity up to 200 T/h (depends on material)
- Hydraulic discharge conveyor
- Tracked for mobility
- Reverse shafts mode to prevent blockages
- ESD System



### Options

- Overbelt Magnet
- Water Sprinkling System
- Reversible Fans for radiator cleaning
- Additional Conveyors
- Current generator (for the VB 95 E model)
- Optional Diverse and Waste Shafts
- Sieve systems for material separation
- Industry 4.0 module for remote performance analysis, feedback and troubleshooting worldwide





## PRODUCT SPECIFICATIONS

MODEL	VB 95 DK	VB 95 D	VB 95 E
Type	Tracked	Hooklift	Stationary
Drive	Diesel	Diesel	Electric
Power	760/566 hp/kW	760/566 hp/kW	2 x 335/2 x250
Controls		radio remote	
Weight	44 T	38 T	36 T
Shaft Speed		13-29 rpm	
DIMENSIONS			
Discharge Height	5 300 mm	4 500 mm	4 500 mm
Transport Width	3 000 mm	3 000 mm	3 000 mm
Transport Height	3 305 mm	3 200 mm	3 200 mm
Transport Length	11 360 mm	11 360 mm	11 360 mm
Operating Length	15 204 mm	14 200 mm	14 200 mm
CAPACITY			
Output		40-200 T/hr	
Input Material Size		2500 to 5000 mm	
Output Material Size		150 - 400 mm	



Dimensions and technical information without obligation. Subject to change.

PRODUCT SCHEMATICS

95 DK MODEL  
(OPERATIONAL)



95 E MODEL  
(TRANSPORT)




Shaft Type  
2 Shaft Shredder



Motor  
760/566 hp/kW  
E: 335/250hp/kW x2



Waste Types  
C&D / C&I waste, MSW,  
sleepers, tele. poles, tyres,  
wind turbine blades,  
engine blocks & car bodies



Size Comparison