

# FRESH'N SQUEEZE®

## Produce Plus Juicer



The Perfect Squeeze™

# The Perfect Squeeze™

A flexible solution for high quality fruit and vegetable juices.

Our Produce Plus Juicer provides the highest quality and highest yielding juices, using the least amount of labor.

In making or consuming fresh juice there are certain requirements that must be met.

Those operating the juicer want...

- Good tasting, high quality **juice** that will turn a profit
- Safe, reliable and easy to operate **equipment** requiring minimal labor and capable of producing acceptable juice yields at reasonable speed
- A **juicing process** versatile enough to process wide variety of fruits and vegetables with little preparation time

Consumers of fresh juice expect...

- Fresh tasting, high quality **juice** at an affordable price
- **Equipment** having a clean and sanitary appearance that delivers consistent juice quality from a wide variety of fruits and vegetables
- A fun to watch **juicing process** that eliminates unwanted seeds, peel and excess fiber



## Features & Benefits

- **Batch processing using whole fruits** - Saves time on labor; provides optimal quality and yield
- **Industrial Design** - Minimum down-time and maintenance costs
- **Sanitary Design** - Easy to clean; longer shelf life of juice
- **Completely Enclosed** - No exposed parts provides safety for operators
- **Versatility** - Juices and blends most vegetables, fruits and tropicals


## Processing most produce\* varieties such as:

- **Fruits** - Apple, Grape, Pear, Strawberry, Berries
- **Vegetables** - Carrot, Celery, Tomato, Beet
- **Tropicals** - Pineapple, Mango, Guava, Kiwi

\* Not recommended for citrus fruit due to high peel oil content. Not recommended for melons due to high pH level. Remove stones and pits in stone fruits first. Kiwi, mango and pineapple must be peeled first.



# Produce Plus Juicer Specifications



TECHNICAL SPECIFICATIONS (METRIC SHOWN IN BRACKETS)	
<b>FRUIT HOPPER CAPACITY</b>	12-15 lbs. (5.4-6.8 kg)
<b>FRUIT HOPPER VOLUME</b>	17" x 19" x 18" (705 cubic inches)
<b>RESERVOIR CAPACITY</b>	5 quarts (4.7 liters)
<b>ELECTRICAL REQUIREMENTS (USA)</b>	0,75 kw, 115 volts, 60 Hz, 20 amp service, single phase
<b>ELECTRICAL REQUIREMENTS (EXPORT MODELS)</b>	0,75 kw, 110/220 volts, 50/60 Hz 20/10 amps service, single phase (dedicated circuit required)
<b>SAFETY FEATURES</b>	Completely enclosed, safety interlock switches
<b>FINISH</b>	High impact, flame retardant ABS
<b>WEIGHT</b>	350 lbs. (159 kg), Shipping Wt. 375 lbs. (170 kg)
<b>WASTE CONTAINER HOLDS</b>	40 lbs. (18 kg)
<b>FRUIT SIZE</b>	No restrictions (up to pineapple size)



Copyright © John Bean Technologies Corporation

## WE ARE YOUR SINGLE SOURCE FOR PROFITABLE PROCESSING SOLUTIONS

JBT is a leading provider of integrated food processing solutions. From single machines to complete processing lines, we enhance value and capture quality, nutrition and taste in food products. With a local presence on six continents, JBT can quickly provide our customers and partners in the food processing industry with the know-how, service, and support needed to succeed in today's competitive marketplace.

### JBT LIQUID FOODS

FRESH PRODUCE TECHNOLOGIES | FRESH-CUT, ROBOTICS, STEAMING | FRUIT AND VEGETABLE PROCESSING | SECONDARY PROCESSING | ASEPTIC SYSTEMS | FILLING AND CLOSING | IN-CONTAINER STERILIZING | TRAY SEALING | HIGH-PRESSURE PROCESSING | POWDER PROCESSING | TUNA PROCESSING

### OUR BRANDS



#### North America

John Bean Technologies Corporation  
400 Fairway Avenue  
Lakeland, FL 33801  
USA  
Phone: +1 863 683 5411  
Fax: +1 863 680 3672

#### Europe

John Bean Technologies SpA  
Via Mantova 63/A  
43122 Parma  
Italy  
Phone: +39 0521 908 411  
Fax: +39 0521 460 897

#### Asia Pacific

John Bean Technologies (Thailand) Ltd.  
No. 159/26 Serm-Mit Tower 16th Floor  
Room no. 1602-3 Sukhumvit 21 Road  
Klongtoey Nua Sub-district, Wattana District  
Bangkok 10110 Thailand  
Phone: +66 2 257 4000  
Fax: +66 2 261 4099

#### Latin America

JBT de México S de RL de CV  
Camino Real a San Andrés Cholula No. 2612  
Col. San Bernardino Tlaxcalancingo  
72820 San Andrés Cholula, Puebla  
México  
Phone: +52 222 329 4902  
Fax: +52 222 329 4903

John Bean Technologies Foodtech Spain S.L.  
Autovía A-2, Km 34,400 - Edificio 1 y 3  
28805 Alcala de Henares  
Madrid, Spain  
Phone: +34 91 304 0045  
Fax: +34 91 327 5003

#### South America

John Bean Technologies  
Máq. e Equip. Ind. Ltda.  
Av. Eng Camilo Dinucci 4605  
14808-900 Araraquara, São Paulo  
Brazil  
Phone: +55 16 3301 2000  
Fax: +55 16 3301 2144

#### South Africa

John Bean Technologies (Pty) Ltd.  
Koper Street  
Brackenfell  
Cape Town, South Africa 7560  
Phone: +27 21 982 1130  
Fax: +27 21 982 1136



We're with you, right down the line.™

hello@jbt.com | freshnsqueeze.com | jbt.com

