

User Guide

Stretcher Workbox



Disclaimer

Do not attempt to assemble, handle or operate this product before you have read the important safety information set out on pages 5 & 6 and until you have sufficiently familiarised yourself with the information and data set out in this guide in relation to the product.

Note that this item is compliant only to the standards specified in this User Guide. This may not fall within State/Province specific “First Aid Box” codes and it is therefore the duty of the responsible person(s) to review and ensure compliance.

Product Information

Overview

The Conquip Stretcher Workbox is designed to be able to transport injured or immobile personnel from designated structures/sites¹

Note: Workboxes should only be used where other means of access are unsafe or impracticable.

The workbox is provided with protection on each vertical side for its occupants.

In addition to the protection provided on each side, handrails are fitted inboard, suitably positioned to minimise the risk of injuries to hands.

An access gate is provided, opening outwards to accommodate any personnel on a stretcher and is self-closing and self-locking².

Key Benefits

- Proven alternative to lifting a stretcher via a temporary stairway.
- Tie down points to accommodate a stretcher with an injured.
- A solid canopy to provide additional protection for small debris³.
- Mesh panels allow for communication via hand-signals, whistles and or hand-held, clip-on or vest type communicators.
- Fork pockets included for manoeuvrability ease in and around site when empty.

Notes

[1] Designated Structures/Site is an area or piece of land where construction work is taking place and is compliant to the required health and safety standards.


[2] Self closing and self locking is dependent on a number of parameters. It is the duty of the responsible person(s) to ensure that the gate is both closed and locked.

[3] Small debris constitutes a metal or non metal projectile which is falling under gravity at a height no greater than 2000mm and weight no greater than 5Kg.

Product Information

Specification

Item	Product Code	Workbox Data	Workbox Identification
Stretcher Workbox	CA121AF-00250	Value	TBD



¹ Safe Working Load

Height (Lifting)	Height (Transport)	Width	Length	Tare Mass	Hoisting Load (Max)	Personnel Capacity	SWL ¹
4173mm	2426mm	908mm	2572mm	708kg	958kg	2 persons	250kg

Original Working Instructions

Usage Instructions

Important Usage Notes

- Workboxes should only be used where other means of access are unsafe or impracticable.
- This workbox should be only used for conveying personnel with tools and work material to a work location by crane.
- Workboxes shall be designed only for use of personnel with the minimum tools and materials required to perform the necessary work.
- Workboxes should not be used as transportation for personnel or bulk materials or for the removal of debris or scrap.
- Ensure that the maximum allowable mass in the workbox does NOT exceed the Safe Working Load.
- Ensure the load is distributed evenly about the centre both longitudinally and transversely.
- Ensure the load covers more than 30% of the floor area.
- Throughout the use of the workbox, each occupant must utilise at least one of the harness points. Note: Each safety harness and lanyard assembly must conform with AS/NZS 1891.1
- Throughout the use of the workbox, each occupant must utilise the handrails.
- Throughout the use of the workbox, the occupants must ensure that the gate is closed and locked.
- The minimum crane capacity recommended to lift the Stretcher Workbox is 5000kg.

Medical Disclaimer

These instructions are not intended as a guide to any medical practice or medical procedures. The information in this document is limited to the cage, its components and how they work. The casualty is the sole responsibility of the persons offering medical assistance. If the cage is not suitable for the situation, do not use it.

Original Working Instructions

Safety Instructions

Basic Safety

A site-specific Risk Assessment, and lift plan where applicable, must be completed by the responsible person before using this equipment to control risks, produce a safe system of work and ensure safety for you, your colleagues and others. Your risk assessment will determine the correct Personal Protective Equipment (PPE) for the task you are doing. You must use it. A responsible person should:

- **M002** - Refer to instruction manual/booklet
- **M004** - Wear eye protection
- **M008** - Wear foot protection
- **M009** - Wear protective gloves
- **M010** - Wear protective clothing
- **M012** - Use handrail
- **M014** - Wear head protection
- **M015** - Wear high visibility clothing
- **M018** - Wear a safety harness



M002



M004



M008



M009



M010



M012



M014



M015



M018

Important Safety Notes

- Read these instructions before using this equipment. If there is anything you do not understand or if you have any concerns do not use this equipment. Contact your supervisor or Conquip Engineering Group for advice.
- You must check that you have considered all the safety requirements for the task you are doing and that this equipment is suitable.
- You must protect bystanders and the general public by preventing access to the working area.
- Do not use this equipment if you are tired, unwell or under the influence of alcohol or drugs. If you are taking any medicine or undergoing treatment you should inform your supervisor.

Conquip Engineering Group Standard Product Warranty

Terms & Conditions

1. Commencement

1.1 This Warranty shall commence on the Commencement Date and shall continue until the earlier of:

- (a) the Expiry Date; or
- (b) the date on which it may be voided in accordance with clause 4.1(b)

when it shall terminate automatically without notice.

2. Duty of good faith

2.1 The Purchaser shall in the exercise of its rights under this Warranty and in the compliance with its obligations under this Warranty be subject to and shall in all respects owe and comply with a duty of good faith to the Warrantor.

3. Nature and extent of cover

3.1 Subject to clause 3.2 the Warrantor agrees and undertakes to the Purchaser that it shall be liable to the Purchaser under and in accordance with the terms of this Warranty in the event that:

- (a) prior to the Expiry Date the Purchaser shall notify a Warranty Claim to the Warrantor; and
- (b) the Equipment or any relevant part of the Equipment shall have become unusable as the result of defective material or defective workmanship prior to the Expiry Date.

3.2 The Warrantor's obligation under clause 3.1 shall be expressly subject to the provisions of clauses 4, 5 and 6 and conditional upon the Purchaser's compliance in full with the provisions of clause 7.

4. Restrictions

4.1 The following restrictions apply to this Warranty:

(a) This Warranty is personal to the Purchaser and neither the legal benefit nor legal burden of this warranty may be assigned or novated or otherwise transferred by the Purchaser to any other party. Any purported assignment, novation or transfer shall not be binding upon the Warrantor.

(b) This Warranty shall be void in the event that the Purchaser:

- (i) cannot provide authentic and original documentary evidence that the Purchaser has during the period between the Commencement Date and the Expiry Date complied with the Maintenance and Servicing Requirements; and/or
- (ii) has, during the period between the Commencement Date and the Expiry Date, exceeded the Purchaser's Usage Cycle Parameters; and/or
- (iii) has, during the period between the Commencement Date and the Expiry Date, exceeded the Purchaser's Use Parameters; and/or
- (iv) has carried out, or procured the carrying out by any third party of, any repair to the Equipment or any part of the Equipment which is not an Authorised Repair; and/or
- (v) has operated the Equipment after having replaced any part of the Equipment with a part which has not been supplied and fitted by the Warrantor; and/or
- (vi) has modified the Equipment in any way prior to use.

5. Exclusions

5.1 The following are excluded from the scope of this Warranty:

(a) Loss of and/ or damage to the Equipment or any part of it resulting from any collision between the Equipment and any other fixed or stationary or mobile object whatsoever, irrespective of whether that

collision was or was not caused by the Purchaser; and/or

(b) Loss of and/or damage to any personal property and/or possessions or other equipment not forming part of the Equipment but which is present in or about the Equipment; and/or

(c) loss and/or damage which is covered by any other insurance policy taken out and maintained by the Purchaser or in respect of which the Purchaser has a contractual obligation to do so; and/or

(d) loss and/or damage to the equipment which is consistent with the use by the Purchaser of the Equipment:

(i) in compliance with the Maintenance and Servicing Requirements; and

(ii) in compliance with the Usage Cycle Parameters; and

(iii) in compliance with the Use Parameters; and

(iv) having only carried out Authorised Repairs to the Equipment; and

(v) having all and any replacement parts fitted by the Warrantor; and

(vi) in unmodified form.

6. Limitation of Liability

6.1 The Warrantor's liability to the Purchaser shall be limited as follows:

(a) The Warrantor shall not in any circumstances be liable to the Purchaser for indirect and/or consequential and/or economic loss suffered and/or incurred as the case may be by the Purchaser; and

(b) The Warrantor shall only be liable to the Purchaser for the reasonable and proper costs reasonably and properly incurred by the Purchaser directly in connection with the repair and/or replacement (at the Warrantor's absolute discretion) of the Equipment or any part of the Equipment; and

(c) The Warrantor's liability to the Purchaser shall notwithstanding any other provision of this Warranty, not in any circumstances exceed the Purchase Price of the Equipment.

7. Warranty Claims

7.1 The Purchaser shall in respect of any claim against the Warrantor under this Warranty and within 24 hours of the occurrence of the subject matter of the Warranty Claim:

(a) Complete in full and submit to the Warrantor a Warranty Claim in the form annexed to Schedule 4;

(b) Provide date stamped or date identifiable photographs evidencing the claim; and

(c) Make the Equipment or the relevant part of the Equipment available to the Warrantor for inspection within 48 hours of notification of the relevant Warranty Claim.

8. Entire Agreement

8.1 This Warranty constitutes the entire agreement between the parties and supersedes and extinguishes all previous promises, assurances, warranties, representations and understandings between them, whether written or oral, relating to its subject matter.

8.2 Each party agrees that it shall have no remedies in respect of any statement, representation, assurance or warranty (whether made innocently or negligently) that is not set out in this Warranty. Each party agrees that it shall have no claim for innocent or negligent misrepresentation or negligent misstatement based on any statement in this Warranty.

No variation of this Warranty shall be effective unless it is in writing and signed by the parties (or their authorised representatives).

9. Waiver

No failure or delay by a party to exercise any right or remedy provided under this Warranty or by law shall constitute a waiver of that or any other right or remedy, nor shall it prevent or restrict the further exercise of that or any other right or remedy. No single or partial exercise of such right or remedy shall prevent or restrict the further exercise of that or any other right or remedy.

10. Severance

10.1 If any provision or part-provision of this Warranty is or becomes invalid, illegal or unenforceable, it shall be deemed deleted, but that shall not affect the validity and enforceability of the rest of this Warranty.

10.2 If any provision or part-provision of this Warranty is deemed deleted under clause 10.1 the parties shall negotiate in good faith to agree a replacement provision that, to the greatest extent possible, achieves the intended commercial result of the original provision.

11. Third party rights

11.1 This Warranty does not give rise to any rights under the Contracts (Rights of Third Parties) Act 1999 to enforce any term of this Warranty.

12. Governing law

12.1 This Warranty and any dispute or claim (including non-contractual disputes or claims) arising out of or in connection with it or its subject matter or formation shall be governed by and construed in accordance with the law of England and Wales.

13. Jurisdiction

13.1 Each party irrevocably agrees that the courts of England and Wales shall have exclusive jurisdiction to settle any dispute or claim (including non-contractual disputes or claims) arising out of or in connection with this Warranty or its subject matter or formation.

Schedule 1

Interpretation and Definitions

1. Interpretation

The following definitions and rules of interpretation apply in this Warranty.

2. Definitions:

Business Day: a day, other than a Saturday, Sunday or public holiday in England, when banks in London are open for business.

Commencement Date: shall be the date of completion of the purchase of the Equipment by the Purchaser.

Equipment: the equipment purchased by the Purchaser from the Warrantor as is more particularly described in Schedule 1.

Expiry Date: shall be the date occurring 12 calendar months after the Commencement Date.

Maintenance and Servicing Requirements: the Purchaser's maintenance and servicing requirements for the Equipment as are set out in more detail in Schedule 3.

Purchaser: means the purchaser of the Equipment from the Warrantor as more particularly described in Schedule 1.

Purchase Price: means the original purchase price of the Equipment as more particularly set out in Schedule 1.

Usage Cycle Parameters: the Purchaser's standard parameters for the number of cycles of use in any given period for the Equipment as are set out in more detail in Schedule 2.

Use Parameters: the Purchaser's standard design parameters for the safe and appropriate use of the Equipment as are set out in more detail in Schedule 2.

VAT: value added tax [or any equivalent tax] chargeable in the UK [or elsewhere].

Warrantor: means the warrantor as more particularly described in Schedule 1.

2.1 Clause, Schedule and paragraph headings shall not affect the interpretation of this Warranty.

2.2 A **person** includes a natural person, corporate or unincorporated body (whether or not having separate legal personality).

2.3 The Schedules form part of this Warranty and shall have effect as if set out in full in the body of this

Warranty. Any reference to this Warranty includes the Schedules.

2.4 Unless the context otherwise requires, words in the singular shall include the plural and in the plural shall include the singular.

2.5 Unless the context otherwise requires, a reference to one gender shall include a reference to the other genders.

2.6 Any obligation on a party not to do something includes an obligation not to allow that thing to be done.

EC Declaration of Conformity

In accordance with EN ISO 17050-1:2004

Declaration: As defined by the Machinery Directive 2006/42/EC and subsequent amendments

We, CONQUIP ENGINEERING GROUP, herewith declare that the following indicated equipment meets the fundamental health and safety requirements concerning the EU guide line(s), due to their design and manufacture.

This declaration will be rendered null and void if the machine is changed without our approval.

Signed:



Dated: 2023

Garry Critchley, Managing Director

Product Code(s):	CA121AF-00250
EC Directive/Regulation:	2006/42/EC, Lifting Operations and Lifting Equipment Regulations 1998 Provision and Use of Work Equipment Regulations 1998
Harmonised Standards:	AS1418.17-1996 AS1657:2018 AS/NZS1891.1:2020
General Description/Designation:	Stretcher Workbox – CA121AF-00250
SWL:	CA121AF-00250 = 250kg

Important Notes

- This User Guide is for this Conquip product only.
- Any movements of the product must be thoroughly planned before the work commences to identify potential hazards and assess risk.
- All personnel involved in lifting and transportation of this product must have read this User Guide and must be properly briefed.
- You must be competent, alert and medically fit when using this equipment. If you have a medical condition, a mental or physical disability, you must seek advice from a medical professional before using this equipment.

Talking to us is easy

We're here to help

Call us on (02) 8844 4590

Email us at sales@conquipgroup.com.au

www.conquipgroup.com.au