

# Paxum<sup>®</sup> X1000

Paxum Fully Automatic Pallet  
Wrapping Machine - Rotary  
Arm

#62115



Reliable  
Technology

Quality  
Parts

High  
Efficiency

Noiseless  
Operation

X1000 Paxum model a Fully Automatic Pallet Wrapping Machine. Designed for industrial applications, this cutting-edge machine offers exceptional efficiency and performance for your packaging needs. With advanced features and reliable technology, it is the ultimate solution to optimize your pallet wrapping process.

## Highlights

- **High Efficiency:**
  - Slewing bearing transmission
  - Noiseless, maintenance-free
  - Handles 35-40 loads/hour
  - No additional counterweights needed
- **More Powerful:**
  - Ultimate film-clamping effect
  - Precise cylinder film-cutting
  - Mechanical filming system
- **Save Cost:**
  - Up to 400% pre-stretch rate
  - Standard constant releasing film
  - Precise fixed-pointed wrapping
- **Quality Spare Parts:**
  - Reliable SICK proximity switch
  - Photoelectric sensor for accuracy
  - Weidmuller Terminal Board connectivity
  - Advanced SIEMENS PLC and Inverters

## Features

- Auto film cutting and clamping
- Automatic top sheet dispenser (optional)
- Automatic paper corner fixer (optional)
- SEW & SIEMENS motor drive system
- Advanced photoelectric sensor
- Noiseless operation
- Maximum pre-stretch rate of up to 400%

## Options

- Top Pressure Function
- Lifting Up Conveyor
- Top Sheet Dispenser
- Paper Corner Fixer




High Efficiency



Powerful Film Clamp & Cut



400% Pre-Stretch



Quality Parts

## Specifications

<b>Maximum wrapping speed</b>	35-40 loads/hour
<b>Max pallet size</b>	1.2x1.2m
<b>Maximum Wrapping Height</b>	2000mm
<b>Ring Speed</b>	0-30RPM(Adjustable)
<b>Ring Size</b>	2000mm
<b>Ring Drive Power</b>	1.5PH
<b>Cut And Clamp Film</b>	Automatic (Heat type)
<b>Standard Film Width</b>	500mm
<b>Pre-Stretch Rate</b>	Up to 400%
<b>Constant Film Delivery Force</b>	Standard
<b>Film Capacity</b>	Diameter: 250mm
<b>Top pressure function</b>	Optional
<b>Lifting up conveyor</b>	Optional
<b>Top sheet dispenser</b>	Optional
<b>Paper corner fixer</b>	Optional
<b>Machine Size</b>	3825*2900*3940mm
<b>Machine weight</b>	2000KG
<b>Voltage</b>	380V/60HZ
<b>Frame</b>	Steel
<b>Printing</b>	Metallic Paint
<b>Cutting</b>	Laser
<b>Inverter</b>	SIEMENS
<b>Position sensor</b>	SICK
<b>PLC</b>	SIEMENS
<b>Travel Switch</b>	OMRON
<b>Ring drive Motor</b>	JSK
<b>Relay</b>	OMRON
<b>Touch screen</b>	SIEMENS
<b>Switch</b>	Schneider
<b>Cylinder</b>	AIRTAC
<b>Up and down motor</b>	JSK