

TECHNOmark[®]
—— smart traceability

Combo

The versatility and
reliability union



DOT PEEN TECHNOLOGY



STATION USE



2 in 1

COMBO MACHINE

CONNECT.series[®]

MULTIPLY YOUR POSSIBILITIES

Combo model




2 in 1 COMBO MACHINE



NETWORK CONNECTION



INTELLIGENT SOFTWARE



We have rethought the way we design and develop our products. Today, our marking solutions are the result of direct customer feedback across a wide range of applications.



Station use

1.

The parts to be marked are taken to a marking area

2.

The machine is located on a workbench

3.

Ability to create multiple marking areas in the workshop




Electromagnetic dot peen technology

- **Indent the material** through a succession of impacts that form a permanent mark
- **On all types of part** up to a hardness of 63HRC

BENCHTOP MODE

Make the choice for precision



Marking of small to medium-sized parts

up to 290 mm high as standard, optional 150 mm column extension

Quick Shift function

Easy and quick height adjustment of the column when changing to different sized parts

Marking window


120 x 60 mm

Ergonomic base

Mounting of various accessories: plate holder, rotary axis and other clamping systems

Easy Shift function

Stylus simultaneously moves as the text is re-positioned on screen.



Illuminated marking area



Protective bumpers



Technical plastic shell

Intelligent Driving Impact (IDI)

Unique function automatically adjusts distance between part and stylus during marking enabling **marking over uneven surfaces** from 3-8 mm in height





2 in 1 machine

Switch from a portable to a benchtop mode in less than 10s

PORTABLE MODE

Mark with complete freedom


Marking of medium to large, heavy or difficult to access parts



Energy self-sufficient


22V lithium ion battery in the head

Light to deep marking, moderate use



Deep marking, intensive use and benchtop mode

To ensure continuity of production in case of low battery



Support foot

5 in 1

1. Marking on small and large cylinders with two pairs of locating V's
2. Positioning support with support guide
3. Magnetic support with magnets
4. Marking on flat parts
5. Non-slip-foot



Light: 3.2 kg



360° use

Wireless communication

between marking head and controller



- Freedom of movement within 10 m
- Secure Wi-Fi connection protocol
- Automatic pairing with RFID technology



CONTROLLER & SOFTWARE

Mark within 3 clicks

CONNECT.series®



Intelligent software

developed by Technomark


- Predictive maintenance module
- 3 user modes: operator, supervisor and administrator
- License pack for more functionality
 - USB Production Tracker license
 - Font creator license
 - Custom HMI license
 - RFID log on head or control box license
- Visualisation of the marking area on the screen
- Control of the rotary axis connected to the head



10" touch screen in tempered glass




Intuitive and easy to use



Network connection

data exchange via the Ethernet port



3 USB ports

Connection to keyboard, code reader (1D and 2D) and USB stick

Ethernet port

220V power supply

VESA 100 fixings


Universal mounting that allows a range of control box fixing solutions

3 complete marking solutions developed by Technomark

Full holder



Upgraded holder



Light holder



OUR ADDED VALUE

Long-term support

Pre-sale



FEASIBILITY
STUDY



SAMPLES
MARKING



ON-SITE
TESTING



CUSTOMIZATION

After sales



HELPLINE



TRAINING



SERVICE AND
MAINTENANCE CONTRACT



REPAIR



LOAN OF
EQUIPMENT

TECHNO*mark*[®]
——— smart traceability



Technomark

1, allée du développement
42350 La Talaudière - France
+33(0)4 77 22 25 91
info@technomark-marking.com

www.technomark-marking.com



47 countries

WORLDWIDE PRESENCE THROUGH OUR
DISTRIBUTORS AND 3 SUBSIDIARIES

99%

AVERAGE CUSTOMER SATISFACTION
RATE OVER 3 YEARS

20 000

YELLOW MACHINES IN SERVICE
WORLDWIDE, ALL TECHNOLOGIES

10%

OF TURNOVER DEDICATED TO R&D

